Historic, Archive Document

Do not assume content reflects current scientific knowledge, policies, or practices.



SPRING 1911

TRADE LIST

OF THE

F. & F. NURSERIES

DEPT. AMERICAN NURSERY CO..

Springfield, Union Co., N. J.

Location, 17 Miles from New York City
Millburn Station, D. L. & W. R. R.
Springfield Station, Rahway Valley R. R.
Electric Cars pass our Office Every Half Hour, giving Direct
Communication with Summit, Millburn, Newark, Elizabeth
'Phone, No. 152 Millburn

Established at Roselle, N. J., in 1882

THE SHIPPING SEASON

We usually commence digging and shipping about the middle of March, continuing until May.

A certificate of inspection from the State Entomologist will accompany each shipment.

We have a complete fumigation outfit, and when requested, will fumigate all stock.

Use the Nurseryman's Telegraphic code in Telegraphing.

For convenience and economy in ordering by wire, a telegraph cipher is attached to each article.

Local and Long Distance Phone, Millburn 152.

NOTICE TO CUSTOMERS

We would say to those unacquainted with us that we have 200 acres devoted to the business; our methods of growing and handling stock are up to date. We solicit correspondence and personal inspection of our stock, confident that it will compare favorably with the best.

REFERENCES—For those who do not know us we refer to any leading nurseryman in the United States, Dun and Bradstreet's Mercantile Agencies.

PRICES—This list is intended for nurserymen and dealers only, and supersedes all previous editions. The prices are for the quantities named; 250, 25 and 5 will be furnished at the 1000, 100 and 10 rates respectively. We have tried to make our prices as low as we think well-grown stock should be sold. We expect, however, to sell on the market and meet reliable competition.

TERMS—We are glad to grant 30 to 60 days' time for payment of bills to all responsible parties, but parties we do not know, who have no commercial rating, must send remittance with order, or a guarantee signed by some Bank or someone of known responsibility to be sure of securing goods selected. If references are sent, we will confer with them, and after hearing favorably, if goods selected are still unsold, we will enter them as requested, but we will not enter orders or ship goods until we know the customer is responsible.

We will not hold goods on inquiries.

Trees selected by customers at the nursery will be charged for in accordance with their value.

PACKING—This is done in boxes and bales for which a charge is made sufficient to remunerate for the cost of material only. Trees packed in bulk at no extra charge.

COMPLAINTS—Should there be any reason for complaint we must be notified on receipt of goods, otherwise we cannot entertain it. We make it a point to give all reasonable claims proper consideration.

ORDERS—Are accepted upon condition that they shall be void should any injury befall the stock from frost, or other cause over which we have no control.

VARIETIES—We reserve the right to select the varieties, but will give the purchaser his choice as far as is consistent with our stock. In ordering please state whether or not substitution will be permitted in case we should be short of any sort wanted.

GUARANTEE OF GENUINENESS—While we exercise the greatest care to have all our trees and plants genuine and reliable, and hold ourselves prepared to replace on proper proof, all that may prove untrue, we do not give any warranty expressed or implied; and in case of any error on our part, it is mutually agreed between the purchaser and ourselves that we shall not at any time be held responsible for a greater amount than the original price of the stock.

ORNAMENTAL DEPARTMENT

DECIDUOUS TREES.

The trees offered in this list have been transplanted several times, are well rooted, of symmetrical shape and of quality described. We care for our trees and destroy annually hundreds that do not measure up to our standard of excellence. Most of our deciduous trees are graded by caliper which is incomparably the best standard for the purchaser. A tree 12 to 15 feet in height may not caliper as much as one 10 to 12 or even less and if it is thus unproportioned it is an inferior tree. We have bought some of these offerings at what seemed an astonishingly low price but always to our sorrow.

	Tel. Code	Each	Per 10	Per 100
ACER—Campestre, 3–4 ft	Gab	\$ 25	\$2 00	
— Colchicum, Rubrum, 4–5 ft		25	2 00	
5–6 ft	Gable	25	2 50	#00 00
— Dasycarpum, Silver Maple, 8-10 ft	Gadding	$\frac{25}{30}$	$\begin{array}{ccc} 2 & 00 \\ 2 & 50 \end{array}$	
8-10 ft., 1 ¼ in . 10-11 ft., 1 ½ in .	Gadder	50	4 50	$\begin{array}{cccc} 25 & 00 \\ 40 & 00 \end{array}$
	Gaelic	. 75	7 00	60 00
	Gafty	90	8 50	80 00
$13-14 \text{ ft.}, 2\frac{1}{2} \text{ in}$.		1 25	11 50	
	Gage	2 00		
—— Pyramidalis, 4–5 ft	Gaging	25	7 1 7	
— Wierii, Wier's Cut Leaf, 8-10 ft., 1 1/4 in .		35	3 00	
	Gain	50	4 50	
	Gainer	1 80	7 50	
	Gaining	$\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$	10 00	
	Gainless	40		
	Gairish	50		
	Gait	60		
	Gaiter	. 80		
	Gala	1 00		
— Var. leaved, 4-5 ft		50	A	
- Platanoides, Norway Maple, 8-10 ft., 1 1/4 in	Gale	. 70	6 50	60 00
	Galeas	90	8 50	80 00
11-12 It., 1 ½ in	Galeate	1 30	12 50	
12-13 1t., 2 111 12-14 ft 2 1/ in	Galilee Galiot	$\begin{array}{c} 1 & 60 \\ 2 & 25 \end{array}$	15 .50	
13-14 ft. 2 1/2 in	Galilean	2 75		
14–15 ft., 3–4 in	Galilean Galiore	3 75		
— — Globosa, 6–7 ft., stem	Galipot	1 25		
—— Schwedlerii, 6—8 ft	Gall	55	5 50	
8–10 ft	Gallant	1 00	10 00	75 00
10–12 ft		1 25	$12 \ 50$	1. 1. 1. 1.
- Pseudo Platanus, Sycamore, 6-8 ft		30		
8-10 ft	Gallon	50		
- Rubrum, Red or Scarlet Maple, 6-8 ft	inGallic	35 55	5 00	
10-12 ft 11/3	in . Gallicissum	65	6 00	
	inGalling	1 00	0 00	
13–14 ft., 2	inGalled	1 50		
14–15 ft., 2 ¼ i	inGallum	1 75		
14-16 ft., 3	inGallure	2 50		
8-10 ft	Gally ,	50	0.60	
10-12 ft., 1 1/4 1	inGalore	70	6 50	
— Saccharinum, Sugar Maple, {11-13 ft., 1½ 1 12-14 ft., 1¾ i	nGalsome	90	8 50	
	inGalt inGambit	$\begin{array}{ccc} 1 & 25 \\ 1 & 65 \end{array}$		
14-16 ft. 2 1/2	n Gamble	2 50	20 00	
14-16 ft., 3	inGam	3 00	$\frac{20}{27} \cdot 50$	
— Spicatum, 2–3 ft	Game	20	1	
— Striatum, 2–3 ft	Gamster	20		
— Tataricum Rubrum, 4–5 ft., low branched.	Games	30		
— Ginnala, 2–3 ft., low branched		20	1 75	15 00
9 9 10.,	Ganch	25	2 00	17 50
— Japonicum Aureum, Golden Lvd., 15–18 in	Gand	50 65	6 50	60 00
1/2-210.	Gander	65	0 30	00 00

ACER—Continued Tel. Code	Each	Per 10 Per 100
— Japonicum Aureum, Golden Lvd., 2 -2½ ft Gang	\$ 75	\$7 00
3 -4 ft Gap	1 25	
— Polymorphum, Green Leaved, 2-3 ft	25	2 00
3–4 ft Gaper	45	3 50
— Atropurpureum, Purple Leaved, 18-24 in Gaping	55	5 00 \$45 00
$2-2\frac{1}{2}$ ft Garb $2\frac{1}{2}-3$ ft Garbage	$\begin{smallmatrix} 80\\1 & 00\end{smallmatrix}$	7 50 75 00
3-4 ft Gardening.	2 50	
— — Dissectum, Cut Lf. Purple, 1½-2ft Garden	75	
2–3 ft Gargle	1 00	9 00
— Dissectum, Cut Leaved Green, 1½ ft Garish	75	
2 ftGarland	1 00	
— Filicifolia, 3 ft	75	
— Rosea Marginata, 2½ ft	65	
Reticulatum, 2½ ft	75	
Versicolor, 2½ ft	$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	
AESCULUS—Glabra, 8-10 ft	50	4 00
8-10 ft	70	6 00
10–12 ft	1 00	9 00
$2\frac{1}{2}$ -3 in	2 00	
3 in	2 50	
—— Rubicunda, Red Horsechestnut, 6-8ft Gates	75	
8-10 ft Gateway .	90	8 00
10–12 ft Gateless	1 25	
12ft., 2 in Gatherer .	1 50	
— — Alba fl. pl., Dbl. White Flg., 6—8 ft Gathering 8—10 ft Gather	60 85	7 50
$10-12 \text{ ft} \dots Gather \dots$	1 25	12 00
ALNUS—Laciniata Imp., 6–8 ft	60	5 00
AILANTHUS—Glandulosa, 3-5 ft	30	0 00
6-8 ft	50	
AMYGDALUS—Flowering Peach, [3-4ftGaudily	15	1 00
Red and White, 4-5 ftGaudy	20	1 50
(5-6 ft Gauge	25	2 00
ANDROMEDA—(See Shrubs).		
ARALIA—(See Shrubs). PETULA Alba Furancan Wh Birch 4 6 ft Coursed	20	1 75
BETULA—Alba, European Wh. Birch, 4—6 ft Gauged 6—8 ft Gauging	$\frac{20}{30}$	1 75 2 50
8–10 ft Gauger	40	4 00
10-12 ft Gaul	65	6 00
12-14 ft Gauling	1 00	9 00
Laciniata, Weep. Cut Lf. Birch, 4-6ft Gaulish	35	3 00 25 00
6-8ftGault	45	4 00 35 00
8-10 ft Gaunt	55	5 00
10-12 ft Gauntlet .	75	7 00
—— Pend. Youngii, 3–4 ft., branched low Gavel 4–5 ft., "" Gave	35 55	
6–8 ft., " "Gave	1 00	
— Purpurea, Purple Leaved, 3-4 ft	40	3 50
4–5 ft	45	
— Lenta, Sweet Birch, 3-4 ft	25	
— Lutea, Yellow Birch, 6-8 ft	30	
8-10 ft	40	0.00
— Papyracea, Canoe Paper Birch, 4—6 ft Gayety	35	3 00
6-8 ttGayly	40 50	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— Populifolia, 3 ft	40	1 00
CARPINUS—Americana, 2–3 ft	15	1 25
3–4 ft	18	1 50
CARAGANA PENDULA—5-8ft	75	
CATALPA BUNGEI—Umbrella Catalpa,	11516	0.00
— Med. Heads grafted on Gazeful	65	6 50 60 00
—— First class Heads smooth	1 85	8 00 75 00
— — Extra large Heads straight	$\frac{1}{1} \frac{00}{25}$	9 00
— — Double Extra Large Hd. [stems] Gazette	1 20	

CATALPA—Continued — Speciosa, Western Catalpa, 8-10 ft	Tel. Code .Gear\$	35 50	Per 10 Per 100
CELTIS—Occidentalis, 2-3 ft	. Gelatin	15 15 18	\$1 25 1 50
CERASUS—Jap. Rosea Pend., Weep. Jap. Cherry 3-4 ft	ÿ,	65	6 00
5–6 ft	. General	75 00	
— Serotina, 6–8 ft — Sinensis fl. pl., Chinese Dbl. Flg., 3–4 ft.	Generical . Generate .	25 40	2 00 3 50
4-5 ft 6-7 ft CERCIDIPHYLLIUM —Jap. Katsura, 3-4 ft	.Genesis	50 55 30	4 50 2 50
4–5 ft	Genius Genealogy.	35 50	3 00 4 50
CERCIS—Judas Tree: (See Shrubs). CLADRASTIS—Virgilia, Yel. Wood, 2-3 ft 5-7 ft	.Gent	25 40	
CORNUS—		10	
— Florida, Wh. Flowering Dogwood , 2–3 ft 3–4 ft 4–5 ft	.Genteel	20 30 35	$\begin{array}{ccc} 1 & 50 \\ 2 & 50 \\ 3 & 25 \end{array}$
5–6 ft		40	3 75
6–8 ft		50	
Pendula, Weeping Dogwood, 2-3 ft		35	
3–4 ft	.Germ	50	
— Rubra, Red Flg. Dogwood, 2 -2½ ft		50	
	.Get	60	
	. Getting	75	
	.Geyser 1	25	
CRATAEGUS—Thorn	0		
Coccinea, -2-3 ft		15	1 25
3–4 ft		30	2 50
— Crus Galli, Cockspur Thorn, 2–3 ft		15	1.50
3–4 ft		$\frac{18}{25}$	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$
5–7 ft		30	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— Oxycantha, Pink, Red, and White 3-4 ft		30	$\frac{2}{2} \frac{50}{50}$
4-5 ft		40 .	3 50
CYTISSUS—Laburnum, Golden Chain, 3-4 ft		25	2 00
$4-6~\mathrm{ft}\ldots$.Giblet	35	3 50
DYOSPYRUS —Virginiana Persimmon, 3–4 ft	.Gibe	$\frac{25}{35}$	
EUONYMUS —Americana, 2–3 ft		15	
—Europ. Eng. Straw. Tree, 3–4 ft		20	1 75
	.Giddy	30	2 50
- Alatus. (See Shrubs).			- 00
FAGUS—Americana, 2–3 ft	. Gidder	20	1 50
— Sylvatica, English Beech, 3-4 ft	.Gift	35	3 00
4-6 ft	. Gifter	60	5 00 €
— — Asplenifolia, Cut Leaved Beech, 2-3 ft — Heterophylla, Fern Lvd. Beech, 3-4 ft	.Gifted	40	
—— neterophylia, Fern Lva. Beech, 3-4 it	. Gig	60	5 00
— Pendula, Weeping Beech, 3-4 ft	.Giggler	65 55	6 .00
4–5 ft		75	7 00
5-6 ft			. 00
(2-3 ft	.Gilder	35	3 25
	.Gilt	45	4 00 \$25 00
	.Gilding	50	4 50 40 00
	.Gimlet	80	7 00 60 00
Pendula, Weeping Purple, 3-4 ft	.Gimp 1	. 00	
Leaved Beech, (4-6 ft			
Riversi, River's Purple, 3-4 ft	. Ginger	50	
Leaved Beech, 4-6 ft., with ball	Gingham . I	. 00	
6-8 ft., with ball	Gingle I	. 50	O. C. Line of the Control of the Con

FAGUS—Continued	Tel, Code	Each	Per 10	Per 100
— Tricolor, 3–4 ft	Gipsy	\$ 75		
FRAXINUS—Americana, White Ash, 6-8 ft.	Gird	25		
8-10 ft.	Girder	35	3 00	
	Girdle	50	4 50	
	,1¾inGirdler	75		
O-mary 5 C.ft	nGirdled	90		
Ornus, 5-6 ft	Girl	25		
— Quadrangulata, 3-4 ft	Girlish	15		
— Viridis, 3–4 ft	Girly	15		
GLEDITSCHIA—Honey Locust, 5–7 ft	Girls	25		
GYMNOCLADUS—Ky. Coffee Tree, 6-7 ft	Girt	35		
HALESIA TETRAPTERA—Silv. Bell, 3-4 ft.		25	2 00	
5-7 ft.	Given	30	2 50	
KOLREUTERIA—Paniculata 3-4 ft		25	2 00	
4–5 ft	Gives	30	2 50	
LARIX—Europæa, Larch, 3-4 ft	Giving	18	1 50	
4-6 ft		. 35	3 00	30 00
6-8 ft		40	3 50	
8–10 ft		45		
— Leptolepis, Japan Larch, 4-6 ft		35	3 00	25 00
	Gladder	45	4 00	
8–10 ft	Gladful	50	5 00	
LIQUIDAMBAR—Styrac., Sweet Gum, 4-6:	ttGladly	40	3 50	30 00
6-8:	ftGladness .	50	4 50	
	ftGladiate	75		
(6-8	3 ft Gladsome .	35	3 00	
	10 ft. Glamour	55	5 00	
Tree, 10-	12 ft. Glance	75	7 00	60 00
(12–	14 ft. Glancing .	1 00		
$(4-5 \text{ ft } \dots \dots$	Gland	35		
MAGNOLIA—Accuminata, 5-6 ft	Glanders .	50		
$6-8 \text{ ft } \dots$	Glanced	75		
(8–10 ft	Glan	1 00		
— Alexandrina, 2–3 ft	Glare	60		
3–4 ft		1 00		
— Alba Superba, 2-3 ft	Glaring	75	6 00	
3–4 ft	Glary	1 00		
— Conspicua, 2-3 ft		1 00		
3–4 ft	Glasser	2 00		
— Glauca, 1½−2 ft	Glassy	40		
$2-2\frac{1}{2}$ ft		50	5 00	
— Hypoleuca, 2–3 ft	Glisten	1 00		
— Lennei, 2½–3 ft	Glazing	60		
3–4 ft	Glazed	75		
4-5 ft., balled	Glazier	1 00		
5-6 ft., balled	Gleam	1 50		
— Parviflora, 2–3 ft		1 50		
— Soulangeana, 2–3 ft., own roots	Gleamed	50		
3–4 ft		85	7 50	
4-5 ft. balled	Glean	1 00		
5-6 ft., "	Gleaning .	1 25		
— Speciosa, 3–4 ft	Glee	1 00	9 00	
— Stellata, Halleana, 2-2½ ft	Glide	80		
$2\frac{1}{2}$ ft., with ball	Gliding	1 25	10 00	
— Tripetela, 4–5 ft		60		
7–8 ft		1 00		
MORUS-Tatarica Pendula, Teas Weeping Mu		(P.)		
Medium Heads		50	4 50	
1st class Heads		60	5 50	
Extra Heads		80	7 50	60 00
Double Extra Heads		1 25	1 00	
MALUS—(See Pyrus).	Groom	1 10	1 00	
PTELIA—Trifoliata, Hop Tree, § 2–3 ft	Gloomy	20		
— Aurea, Golden Hop Tree, 3–5 ft	Glory	30		
PAULOWNIA—Imperialis, 3–4 ft	Glorify	45		
4-6 ft	Glorified	50		
1 0 10		0.0		

PLATANUS— — Occidentalis, Am. Plane, — Orientalis, Orien. Plane, — Orientalis, Orien. Plane, — Canescens Green — Leaf Poplar, PLATANUS— 8-10 ft., 1½ in. Glossy. 10-11 ft., 1½ in. Glow. 11-12 ft., 1¾ in. Glowing. 12-13 ft., 2 in. Glue. 12-13 ft., 2¼ in. Glueing. 8-10 ft., 1¼ in. Gobble. 10-12 ft., 1½ in. Gobble.	\$ 5 7 8 1 0 1 5 1 7	50 70 85 90 50		Per 100 \$45 00 60 00
— Bolleana, Pyramidal, $\begin{cases} 6-8 \text{ ft.} & \text{Godhead.} \\ 8-10 \text{ ft.} & \text{Godless.} \end{cases}$ $10-12 \text{ ft.} & \text{Godlike.} \\ 12-14 \text{ ft.} & \text{Godsend.} \end{cases}$	4 5	80 10 55 75	2 50 3 50 5 50	20 00 30 00
	2 2 3	20 25 35 30	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \\ 3 & 00 \end{array}$	12 50 15 00 25 00
$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	3 3 4 6 9	20 30 30 40 30	1 75 2 75 3 00 3 50 5 50 8 50	15 00 20 00 27 50 80 00
$ \text{Monilifera, Carolina Pop.} \begin{cases} 8-9 \text{ ft., 1} & \text{in.} & \text{Goose} \\ 9-10 \text{ ft., 1} \frac{1}{4} \text{ in.} & \text{Gore} \\ 11-12 \text{ ft., 1} \frac{1}{2} \text{ in.} & \text{Gorgeous.} \\ 12-13 \text{ ft., 1} \frac{1}{4} \text{ in.} & \text{Gorgeous.} \\ 13-14 \text{ ft., 2} & \text{in.} & \text{Gospel.} \\ 14-15 \text{ ft., 2} \frac{1}{4} \text{ in.} & \text{Goss.} \\ 14-15 \text{ ft., 2} \frac{1}{4} \text{ in.} & Gos$	2 2 4 6	10 10 15 15 16 16 16 16 16	1 50 2 00 2 50 4 00	10 00 15 00 22 50
14-15 ft., 2½ in Gossip 15-16 ft., 3 in	1 5 1 3 4 5	0 .5 .5 .5 .0	3 00 4 00	
PRUNUS—Pissardi, Pur. Lf. Plum, 2-3 ft	$\frac{1}{2}$	5 .5 .0 .5	$\begin{array}{ccc} 1 & 20 \\ 1 & 50 \\ 2 & 00 \end{array}$	12 50
— Triloba. (See Shrubs). PYRUS—Aucuparia. (See Sorbus). — Angustifolia, 2–3 ft — Bechtel's Dbl. Flg. Crab, ∫ 2½–3 ft — Gouty. — Floribunda, 3–4 ft	3 4 3 4 3 1 0 7 1 0 3 1 2 3 5 8 1 1	5 0 5 5 5 5 0 0 0 0 0 0 0 0 0 0 0 0 0 0	3 00 3 00 3 00 4 50 7 50 10 00	
— Pedunculata, 4−6 ft	$\begin{array}{c} 5 \\ 1 \\ 0 \\ 7 \\ 1 \\ 0 \\ 6 \end{array}$	5 0 0 0 5 5 5	6 00 8 00 1 20	

	Tel. Code		Each	Per 10 Per 100
RHAMNUS—Catharticus. (See Shrubs).	Ter. code		Ducii	10.10 10.100
RHUS—Cotinus, Purp. Mist or Fringe, 2-3 ft		\$	15 \$	
	.Grant		20	1 80 15 00
	.Granule		20	
SALISBURIA— Adjustifelia Ginka Maiden Hair 6 9 ft	Granulata		40	3 50
Adiantifolia, Ginko, Maiden Hair, 6-8 ft 8-10 ft			65	6 00
10–12 ft		1		0 00
SALIX—Babylonica, Weep. Willow, 6-8 ft	. Grapple		25	2 00 15 00
8–10 ft			35	3 00
10–12 ft	.Grass		50	
— Caprea Pendula, Kilmarnock Weep., 2 yr			50	1 07 10 00
— Pentandra, Laurel Leaf Willow, 4-5 ft			15	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
5–6 ft 6–8 ft			$\frac{18}{20}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
8–10 ft			35	3 00
— Rosmarinifolia, bush, 2–3 ft			20	0 00
- Solomoni, Solomon's Weeping, 6-8 ft			20	1 80
8–10 ft			30	2 50
— Thurlow, Weeping Willow, 6-8 ft			20	1 75 15 00
8–10 ft			30	2 50
Vitalling Aurea Golden Bark Willow 2 4 ft			$\frac{40}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
- Vitellina Aurea, Golden Bark Willow, 3-4 ft	.Graze		30	2 50
SOPHORA—Japonica, 2–3 ft			30	$\frac{2}{2} \frac{50}{50}$
3–4 ft			50	- 00
— — Pendula, Grafted on 6-7 ft. stems		1	0=	
SORBUS—Aucuparia, Eng. Mt. Ash, 6-8 ft			25	2 00
8–10 ft			35	3 00
10-12 ft			40	
— Pendula, Weep. Mt. Ash, on 6 ft. stems	Green		35 30	
— Quercifolia, Oak Leaf Mt. Ash, 6-8 ft SYRINGA—Pendula, Weeping Lilac, 5-6 ft	Griddle	1	00	
8-9 ft., 1 1/4 in	Grief		50	4 50
$9-10 \text{ ft., } 1\frac{1}{2} \text{ in}$			65	6 00
TILIA —Americana, 10–11 ft., 1¾ in	Grind		90	8 50
	.Grinding		00	
$12-13 \text{ ft.}, 2\frac{1}{4} \text{ in}$			25	
— Dasystyla, 6– 8 ft		1	$\begin{array}{c} 50 \\ 65 \end{array}$	
— Dasystyla, 6– 8 ft		1	25	10 00
(8- 9 ft., 1 ½ in		-	50	4 50
$9-10 \text{ ft., } 1\frac{1}{2} \text{ in } \dots$			75	
— Europæa, J 10–11 ft., 13/4 in			85	
	.Ground	-	00	
$12-13 \text{ ft.}, 2\frac{1}{2} \text{ in}$		1		
	Grout	2	50	4 50 40 00
$\begin{cases} 8-9 \text{ ft., } 1\frac{1}{4} \text{ in} \\ 9-10 \text{ ft., } 1\frac{1}{2} \text{ in} \end{cases}$	Grow		75	7 00 60 00
—— Plataphylla, Europ. 10–11 ft., 1¾ in			85	8 00
	.Grub	1		9 50 90 00
$12-13 \text{ ft.}, 2\frac{1}{2} \text{ in.}$.Guard	1	50	
	.Guarding .	2	00	
— Alba Argentea, Silver Lf. Linden, 6–8 ft			60	
	.Guest	1	80	
$10-12 \text{ ft} \dots$ $8-10 \text{ ft.}, 1 \frac{1}{4} \text{ in} \dots$		1	00 40	3 50 30 00
ULMUS —Americana, 9–11 ft., 1½ in			50	4 50 40 00
American Elm, $\{10-12 \text{ ft.}, 134 \text{ in.} \dots\}$			80	7 50 70 00
— Montana, Scotch, 11–13 ft., 2 in	.Gun	1	00	9 00
Elm, $12-14 \text{ ft.}, 2\frac{1}{2} \text{ in} \dots$		1	50	
	Gutter		40	
VIDGILIA—(See Cladrastis)	.Gymnast .		50	
VIRGILIA—(See Cladrastis).				

DECIDUOUS SHRUBS.

The shrubs we offer are of standard, commercial grade, young and thrifty. They are not crowded in rows to make them grow tall, but are given space enough for proper development. This insures a bushy and full plant which far more than height ought to be and indeed is the standard of excellence. Nearly all our shrubs are dug with a tree digger thus insuring good roots and are exactly what we represent them to be in all particulars.

be in an particulars.	Tel. Code	Foot	D	D
ABELIA—Rupestris, 1 yr., in pots	Habit 6	Each 15	Per 10	Per 100
AMELANCILLED Determine 0 2 ft	TT 1		/#1 05	010 00
AMELANCHIER—Botryapium, 2-3 ft	nandy	15	\$1 25	\$12 00
3–4 ft	Hand	25		
AMORPHA—Fruticosa, False Indigo, 2-3 ft	Habitual .	10	80	
3–4 ft	Hack	12	1 00	
AMYGDALUS—Flowering Almond, Pink and Wh	ite,			
2–3 ft		20	1 75	15 00
3–4 ft	Had	$\tilde{2}\tilde{5}$	1 10	10 00
— Georgica, 2–3 ft	Haddock	18 -	1 50	
ANDROMEDA Arboros Ovudendron 2 2 ft	Haggio.		1 50	00.00
ANDROMEDA—Arborea, Oxydendron, 2-3 ft	TI	30	2 50	$20 \ 00$
— Mariana, 2–3 ft	Haggard	35	3 00	
— Mariana, 2–3 It.	Hailed	25	150	$12 \ 50$
ARALIA —Pentaphylla, 2–3 ft	Hailstone .	12	1 00	8 00
3–4 ft	Hair	15	$1 \ 20$	
— Spinosa, 3–4 ft		15	1 25	$12 \ 00$
4-6 ft	Hale	$\overline{20}$	175	15 00
6–8 ft	Half	$\frac{25}{25}$	$\frac{1}{2} \frac{100}{00}$	10 00
AZALEA—Arborescens, 18 in	Halibut	$\frac{25}{35}$	3 00	95 00
near miborescens, 10 in	TTollag			$25 \ 00$
2-2½ ft		40	.3 50	0 - 0 -
— Calendulacea, 15–18 in	. Halidorn .	30	$2\ 50$	$25 \ 00$
— Mollis, Colors Mixed, 12–15 in		15	1 25	$10 \ 00$
15–18 in	Hall	30	$2^{\circ}50$	25 00
18–24 in		35	3 50	30 00
— Mollis, Colors named, 15–18 in	Hallier	35	3 00	00 00
18–24 in	Hallow	40		
N. didono 10 04 in	Liallow		$\frac{3}{2}$ $\frac{50}{2}$	0= 00
— Nudiflora, 18–24 in	nanowed .	30	2 75	$25 \ 00$
— Pontica Ghent, 15–18 in		35	$3\ 00$	
18–24 in		45	$4\ 00$	
— Sinensis, 18–24 in	Halt	35		
— Vasevi, 12–15 in	\dots Halted \dots	35	3 00	25 00
18–24 in		45	4 00	35 00
— Viscosa, 12–15 in	Haltering	30	$\frac{1}{2} \frac{50}{50}$	55 00
18–24 in				20.00
PACCITABIC II-1:: 10 04:	TT-	40	3 50	$30 \ 00$
BACCHARIS—Halimifolia, 18–24 in		10	90	
2–3 ft		12	1 00	
3–4 ft	Hamper	15	1 20	
BERBERIS—Thunbergii, 12-18 in., bushy plants	Hames	08	70	6 00
$1\frac{1}{2}-2$ ft., ""	Handcuff .	10	90	8 00
2-2½ ft., """	Handcuff	$\overline{15}$	$1\ 30$	12 00
$2\frac{1}{2}-3 \text{ ft.},$ ""	Handling	$\frac{10}{20}$	$\frac{1}{1} \frac{30}{75}$	15 00
*— Vulgaris, 1½-2 ft	Handmaid	10	80	
2 -3 ft	Handrome	12		8 00
			$\frac{1}{1} \frac{00}{00}$	9 00
3 –4 ft		15	$1 \ 20$	$10 \ 00$
—— Purpurea, 15–18 in		08	60	6 00
$1\frac{1}{2}-2$ ft	Hanging	10	80	$6 \ 00$
2 -3 ft	Hangman .	12	1 00	9 00
3 -4 ft	Hank	15	$1 \ 25$	10 00
BUDLEYA—Variabilis, 3–4 ft	Hankle	10		_ 0 0 0
CALLICARPA—Purpurea, 2–3 ft	. Hanker	$\frac{10}{12}$	1 00	8 00
3 ft	Hapless	15	$\frac{1}{1} \frac{00}{20}$	10 00
CALYCANTHUS—Floridus, 1½-2 ft	Hannen			
9 9 ft	Happilee	12	$\frac{1}{1} \frac{00}{00}$	$\frac{7}{0} \frac{00}{00}$
2 -3 ft		15	1 20	9 00
3 -4 ft	nappiness .	18	1 50	
CARAGANA ARBORESCENS—Siberian Pea				
Shrub, $1\frac{1}{2}$ -2 ft	Happy	12	$1 \ 00$	
2 -3 ft	Harass	15		
CARYOPTERIS—Mastacantha, 1 yr., in pots	Harbor	06	50	4 00
2 yr., field grown	Harboring	10	80	T 00
= j., nota gio 111	wir boiling.	10	00	

CEPHALANTHUS. (See Trees.) Tel. Code	Fach	Per 10	Per 100
CEDCIC C 1 1 1 1 T 1 T 2 C C T T 1 T			
CERCIS—Canadensis, American Judas Tree, 2–3 ft. Hardwood \$ 3–4 ft. Hard	$\frac{15}{20}$	\$1 25 1 75	
4-6 ft. Harden	30	$\frac{1}{2} \frac{73}{50}$	$\frac{15}{20} \frac{00}{00}$
— Japonica, Japan Judas, 1½–2 ft	18	$\frac{1}{1} \frac{50}{50}$	20 00
2 -3 ft	20	1 80	
3 -4 ft	$\frac{25}{25}$	1 00	
CHIONANTHUS—Vir., Wh. Fringe, 18-24 in Hardening	18	1 50	12 00
2-3 ft	25	$\frac{1}{2} \frac{30}{00}$	17 50
3-4 ft Hardship.	35	$\frac{2}{2} \frac{50}{50}$	1, 50
4-5 ftHardpan	40	2 50	
CLETHRA—Alnifolia, 1½–2 tt	10	90	7 00
2-2½ ft	12	1 00	9 00
2½-3 ft	15	$\frac{1}{1} \frac{30}{20}$	0 00
COLUTEA—2–3 ft	10	80	
3-4 ft Harmiul	$\overline{15}$	1 20	
4-6 ft	18	1 50	12 00
CORCHORUS—(See Kerria).			
CORNUS—Alba, Red Branched Dogwood, 2-3 ft Harmless.	12	1 00	7 00
3-4 ft Harmonic	15	1 20	9 00
4-5 ftHarmonious	20	1 50	0 00
— Elegantissima, Variegated, 1½-2 ft	$\overline{12}$	$\bar{1} 00$	
2 -3 tt Harming	15	1 20	10 00
— Kousa, 3–4 ft	$\tilde{20}$		15 00
— Paniculata, 2–3 ft	$\overline{15}$	$\frac{1}{1} \frac{1}{20}$	10 00
— Sericea, silky, 2–3 ft	10	90	8 00
3–4 ft	15	1 20	0 00
- Siberica, 2–3 ft	12	$\frac{1}{1} \frac{20}{00}$	8 00
3–4 ft	15	$\frac{1}{1} \frac{00}{20}$	10 00
— Spæthii, Variegated, 1½–2 ft		1 40	10 00
2-3 ft	$\frac{15}{18}$		
- Stolonifera Lutea, Golden Bark, 1½-2 ft	10		
2 -3 ftHarpoon			
	15	1 25	
CORYLUS—Purpurea, Purple Filbert, 1½-2 ft Harpooning	15	1 25	
2–3 ftHarping 3–4 ftHarrow	$\frac{20}{25}$	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	18 00
	40	4 00	19 00
CRATAEGUS. (See Trees). CYDONIA—Japonica, Japan Quince, 1½–2 ft Harshness	10	70	6 00
2 -3 ftHarvest	12	1 00	8 00
		$\frac{1}{1} \frac{00}{20}$	10 00
3 -4 ft Harvesting	15	1 40	10 00
— — Alba, White Japan Quince, 1½-2 ft Hash	15		
DADUNE Wasseyer 8 12 in Hastiness .	18	1.50	
DAPHNE—Mesereum, 8-12 in Haslet	18	1 50	
12–15 in	25	2 00	10.00
DESMODIUM—Penduliflorum, 2-3 ft	18	1 25	$\frac{10}{6} \frac{00}{00}$
DEUTZIA—Candidissima, (2-3 ft	10	80	$\frac{6}{00}$
— Crenata fl. pl., 3-4 ft	$\frac{12}{20}$	1 00	8 00
(4–5 ft	$\frac{20}{20}$	=0	- 00
- Gracilis, 12-18 in., bushy	08	70	5 00
18-24 in., "Hastening 2-2½ ft. Hat	10	80	6 00
2-2½ ft	12	0.0	0.00
Lemoinei, 1½–2 ft., bushy	10	80	$\frac{6}{6} \frac{00}{00}$
$2-2\frac{1}{2}$ ft	12	1 00	7 00
$2\frac{1}{2}$ -3 ft	15	1 20	10 00
— — Parviflora, 2–3 ft	10	80	
— Pride of Rochester, 2–3 ft	10	80	6 00
3-4 ft	12	1 00	8 00
4-5 ft	15		
		1 00	8 00
ELEAGNUS—Angustifolia, Rus. Olive, 3-4 ft Haul	12		
4-5 ft Haunt	12 15	1 20	10 00
— Longipes, 2–3 ft	12 15 10	$\frac{1}{80}$	6 00
— Longipes, 2–3 ft	12 15	1 20	
— Longipes, 2-3 ft	12 15 10 12	1 20 80 1 00	6 00 8 00
— Longipes, 2–3 ft	12 15 10 12	$ \begin{array}{cccc} 1 & 20 \\ 80 \\ 1 & 00 \\ \end{array} $	6 00
— Longipes, 2-3 ft	12 15 10 12 25 30	1 20 80 1 00	6 00 8 00
— Longipes, 2–3 ft. Haunt 3–4 ft. Haunted EUONYMUS—Europæus. (See Trees). — Alatus, Japan Cork Barked, 12–18 in Have 1½–2 ft Haven 2–3 ft Having	12 15 10 12 25 30 35	$ \begin{array}{cccc} 1 & 20 \\ 80 \\ 1 & 00 \\ \end{array} $	6 00 8 00
— Longipes, 2–3 ft	12 15 10 12 25 30	$ \begin{array}{cccc} 1 & 20 \\ 80 \\ 1 & 00 \\ \end{array} $	6 00 8 00

	Tel. Code	Each Pe	T TO	Perioo
EXOCHORDA —Grandiflora, 2–3 ft	.Havoc\$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$		\$8 00 10 00
4-5 ft		$\begin{array}{ccc} 20 \\ 12 & 1 \end{array}$	00	7 00
3–4 ft	.Hay	15 1	20	9 00
4–5 ft	. Hazard	$\frac{20}{10}$	80	
3–4 ft			20	10 00
4–5 ft		20		
— Intermedia, 2–3 ft		$\begin{array}{ccc} 12 \\ 15 & 1 \end{array}$	20	10 00
4–5 ft		20	40	10 00
— Suspensa, 2–3 ft			00	8 00
3–4 ft		$\frac{15}{20}$ 1	25	10 00
— Viridissima, 2–3 ft			00	7 00
3–4 ft	Healing		20	10 00
4–5 ft	. Healthful .	$\frac{20}{12}$		
HALESIA—(See Trees).				
HAMAMELIS—Virg. Witch-Hazel, 12–18 in	. Healthiness	12		
HIBISCUS—Althea, Dbl. Pink, Purple, Red and White, 1½-2 ft	. Healthy	10	80	6 00
2 -3 ft	.Heap	10 1	00	8 00
	Heaping		20	
Variegated Leaved, 1½-2 ft	. Heaped . Hearing	$\frac{20}{10}$		
2 -3 ft	. Hearken	12 1	00	
— Standard, Tree form, 4–5 ft			00	
HYDRANGEA—Arborescens, 2–3 ft	. Heartless .		$\frac{50}{00}$	
— — Grandiflora alba, (new), 18–24 in	. Heartfelt	15 1	25	
2–3 ft 3–4 ft	Hearty	$\begin{array}{cc} 20 & 1 \\ 20 & \end{array}$	50	15 00
— Paniculata Grandiflora, 1½–2 ft	. Heats	08	60	6 00
$2 -2\frac{1}{2}$ it	.Heat		00	8 00
$2\frac{1}{2}$ - 3 ft., 1st class 3 ft., extra			$\frac{20}{50}$	$10 \ 00 \ 12 \ 50$
——————————————————————————————————————	. Heating		25	$\frac{12}{20} \frac{30}{00}$
extra			75	25 00
— Otaska, Joan of Arc, — Hortensia, Rosea. 12–15 in	. Heath . Heave	15 1 20	20	
— Hortensia, Rosea, 12–15 in	. Heaviness		50	
HYPERICUM —Aureum, 1½-2 ft	. Heaving		00	
— Densiflorum 1½-2 ft. bushy	Hector		$\frac{25}{00}$	
2 -3 ft., "	. Hectic	15 1	20	
— Moserianum, 1 yr., in pots 2 yr., field	. LICUYC	06 10	50	4 00
ILEX—Verticillata, (Prinos), (1½-2 ft	. Heed		$\frac{90}{00}$	8 00
Black Alder,	LI codffail	15		
ITEA—Virginica, $1\frac{7}{2}$ -2 ft	Heedless	$\begin{array}{cc} 20 \\ 12 & 1 \end{array}$	00	
$2-2\frac{1}{2}$ ft	. Height		25	10 00
JASMINUM—Nudiflorum, Yel. Jasmine, 2 yr KERRIA—Japonica, Single Flg., 1½-2 ft	Heiress		00	8 00
KERRIA —Japonica, Single Flg., 1½–2 ft 2 –3 ft	. Heliotrope		$\frac{00}{25}$	8 00
— — Dbl. Flowering Corchorus, 18–24 in	. Helm	12 1	00	8 00
2–3 ft	Helmet		25	
LESPEDEZA—Bicolor, Bush Clover, 2-3 ft	Helpful		$\frac{20}{00}$	
LIGUSTRUM —Amurense, 2–3 ft	. Helpless	10	80	
— Ibóta, 1½–2 ft	Hemp	$\frac{06}{10}$	80	6.00
3 –4 ft	Hence		00	$\begin{array}{cc} 6 & 00 \\ 7 & 00 \end{array}$

A I for a second of page 1				
LIGUSTRUM—Continued	Tel. Code	Each	Per 10	Per 100
- Regelianum, 1½-2 ft., bushy	Herald	\$ 10		\$ 6 00
2_2 1/ft "	Heralded	10	90	7 00
2-2½ ft., "	Heralding	15	1 20	10 00
— Ovalifolium, California Privet—		10	1 20	10 00
12-18 in., well branched, per 1000 \$12 50.	Hotogy	03	17	1 50
18-24 in., "" " 1000 \$12 50.	Heritage	04	25	$\frac{1}{2} \frac{30}{25}$
2-3 ft., " " 1000 25 00.	. Hermit	05	40	3 00
			60	4 00
3 ft., " " 1000 35 00. 4-5 ft., " extra	. Hero	08		
		10	70	6 00
— Standard, (Tree Form), 4-5 ft., 1 yr. heads.	rieroine.	50	4 00	
2 yr	. Heroism	75	1 00	
— Aureum Elegans, Var. Privet, 12–18 in	Herring	15	1 20	- 00
- Vulgaris, 2-3 ft		08	60	5 00
3–4 ft	. Hersing	10	80	6 00
LONICERA—Alberti, 18–24 in		12		
— Fragrantissima, 2–3 ft		15		
3–4 ft	. Hidden	20		
4-5 ft		25		
— Tatarica, Bush Honeysuckle, 2–3 ft	. Hideous	12	1 00	8 00
3–4 ft	. High	15	1 20	10 00
4–5 ft	. Higher	20		
Pink, White and Yellow, (2-3 ft		10	80	6 00
Morrowi J 3–4 ft	Highing	12	1 00	8 00
4-5 ft	. Hight	20		
— Ruprechtiana, 2–3 ft	. Hights	15		
MYRICA—Cerifera, Bay Berry, 1½-2 ft., bushy.	Hill	15	1 25	
2-2 ½ ft. "	. Hillock	18	150	13 50
2-2½ ft., " 2½-3 ft., " .	Him	$\overline{20}$	$\overline{1}$ $\overline{75}$	15 00
- Gale 2-21/2 ft	Himself	$\tilde{20}$	0	20 0-
— Gale, 2–2½ ft PAVIA—Macrostachia Dwf. Horsech., 12–18 in	Hinge	$\frac{1}{25}$	2 00	
18_94 in	. Hinging	35	3 00	25 00
PHILADELPHUS—	. 1111181118	00	0 00	_0 00
— Coronarius, Mock Orange, Syringa, 2–3 ft	Hinged	10	80	7 00
3–4 ft		$\frac{10}{12}$	1 00	9 00
4-5 ft	Hint	15	1 00	0 00
(12-18 in., bushy		10	80	
	Lin	12	1 00	8 00
Nana, Aurea, Golden Lf. 1½-2 ft., "Syringa, 2-2½ ft., "2½-3 ft., "2½-3 ft., "	. Hip	15	1 20	10 00
$2\frac{1}{2}$ 1t., $2\frac{1}{2}$ 3 ft., "	Historian .	18	1 75	15 00
Grandiflore Large Flowering 2 2 ft	Historian .	$\frac{13}{12}$	1 10	8 00
— Grandiflora, Large Flowering, 2–3 ft	. Historic	15	$\frac{1}{1} \frac{10}{20}$	10 00
3-4 ft		20	1 20	10 00
4-5 ft		12		
— Gordoniana, 2–3 ft	· FIIICII	14		
PRINOS—(See Ilex).	TT:45 on	15	1 20	
PRUNUS—Pissardi, 2-3 ft	Ilitabing	$\begin{array}{c} 15 \\ 20 \end{array}$	$\frac{1}{1} \frac{20}{50}$	12 50
3-4 ft			$\frac{1}{2} \frac{30}{00}$	15 00
4-6 ft	. Hitting	25	$\frac{1}{1} \frac{25}{25}$	$\frac{13}{12} \frac{00}{00}$
— Triloba, Double Flg. Plum , 1½–2 ft	. Hive	15		
3 -4 ft	. Hives	20	1 80	15 00
PYRUS—Japonica, (See Cydonia).	** 1	1.5	1 00	10.00
- Arbutifolia, (Aronia), 2-3 ft	. Hoard	15	1 20	10,00
3–4 ft	. Hoarding	18	1 50	
— — Brilliantissima, 2–3 ft	. Hoarded	15	1 25	
3–4 ft	. Hoarsely .	20	1 50	
— Floribunda. (See Trees).				
PTELIA—Hop Tree. (See Trees).				
RHAMNUS—Catharticus, 2–3 ft	. Hoarsing .	15	1 25	0.00
RHODOTYPUS—Kerrioides, 2-3 ft., bushy	. Hoarse	12	1 00	8 00
3–4 ft., "'	. Hoarseness	15	1 25	$10 \ 00$
RHUS—Aromatica, 18–24 in	. Hoarser	25		10.00
— Cotinus, Purp. Fringe Mist, 2-3 ft	.Hobb	15	1 20	10 00
3–4 ft		18	160	15 00
4-5 ft		20	1 75	
— Copallina, 2–3 ft		15	1 25	
3–4 ft		18	1 75	

RHUS—Continued.	Tel. Code	Each	Per 10	Per 100
— Glabra Laciniata, Cut Lf. Sumach, 18-24 in		13		\$10 00
2-3 ft	. Hocked	15	1 25	*
— Typhina Laciniata, Cut Lf. Sumach, 2-3 ft		18	1 50	
3–4 ft	. Hod	20	00	
RIBES—Aureum, Yel. Fl. Currant, 1½-2 ft	Hoe	08	60	
— Gordonianum, 1½–2 ft	Hoiden	$\frac{10}{10}$	80 80	
- Sanguineum 1½-2 ft	. Hoist	10	80	
— Sanguineum, 1½–2 ft	. Hoisted	15	1 25	10 00
ROSA—Climbing and Trailing				
— Baltimore Belle, 2–3 ft	Fable	10		
— Caroliniana, 2–3 ft	Fabric	12		
— Dorothy Perkins, § 2–3 ft.	Face	10	90	$\frac{7}{2} \frac{00}{00}$
Lady Gay, 3-4 ft	Fact	12	1 00	8 00
Empress of China, 2-3 ft Multiflora Japonica, 1½-2 ft	Fodo	$\frac{10}{08}$	70	6 00
2–3 ft	Fading	10	70 90	$\begin{array}{c} 6 & 00 \\ 8 & 00 \end{array}$
3–4 ft	Fagot	$\frac{10}{12}$	1 10	10 00
— Nitida, 18–24 in	Fail	10	80	10 00
— Rubiginosa, Sweet Briar, 2–3 ft., bushy	. Failure	10	90	8 00
3–4 ft., "	Faint	12	1 10	10 00
— Rubrifolia, 2–3 ft	. Fair	12	1 00	8 00
3–4 ft	Fairly	15	1 20	$10 \ 00$
$1\frac{1}{2}-2$ ft., strong	Fairy	08	60	6 00
— Rambler Crimson, 2 - 3 ft., "	Faith	12	1 00	8 00
Philadelphia, $3 - 4$ ft., "	Faithiui	15	$\frac{1}{1} \frac{20}{75}$	10 00
——————————————————————————————————————	Falcon	$\frac{20}{10}$	$\frac{1}{80}$	
$\begin{array}{ll} \text{ Pink,} \\ \text{ Yellow,} \\ \end{array} \left(\begin{array}{ll} 1 \frac{1}{2} - 2 \text{ ft.} \\ 2 - 3 \text{ ft.} \end{array}\right)$	Fall	12	1 00	9 00
—— White, (3 –4 ft	False	15	$\frac{1}{1} \frac{00}{20}$	5 00
— Setigera,) 2-3 ft	Falter	$\tilde{1}\tilde{2}$	$\tilde{1}$ $\tilde{0}\tilde{0}$	8 00
1 3-4 ft	Fame	15	$1 \ 25$	10 00
— Queen of Prairie \(\int 2-3 \text{ ft.} \).		10		
3-4 ft	Family	12		
— Wichuraiana, $\int_{0.2}^{2} 2-3 \text{ ft.}$	Famine	10	80	$\frac{7}{10}$ 50
→ RUGOSA —-Red, 1½–2 ft., bushy	Famous	13	1 20	10 00
2 - 3 ft.	Fancy	$\frac{10}{12}$	$\frac{90}{110}$	$\begin{array}{ccc} 7 & 00 \\ 10 & 00 \end{array}$
2 456 "	Far	15	$\frac{1}{1} \frac{10}{25}$	12 00
- White 1 ½-Z II DUSHV	rarce	15	$\frac{1}{1} \frac{20}{20}$	10 00
2–3 ft., "	Farm	18	$\tilde{1}$ $\tilde{50}$	$12 \ 50$
— — Dbl. Flg., 2–2 ½ it	Farmer	18	1 50	
HYBRIDS, MOSSES, ETC				
CLASS I				
Strong Dormant Buds in the following varieties				
Alfred Colomb, Anna Diesbach, Bonstettin, B				
Rothschild, Coq. d'Alps, Clio, D. of Edinburg Fisher Holmes, Gen. Jack, Gen. Washington				
Jno. Hopper, Louis Van Houtte, Mabel Morri-				
son, Mad. G. Luizette, Mad. Plantier, M. P				
Wilder, Marg. Dickson, Mrs. J. Laing, Magna				
Charta, Paul Neyron, Perle Blanche, Prince C.				
de Rohan, U. Brunner. Moss, Red, White	,			
Pink and Crested	Farming	15	1 25	$12 \ 00$
CLASS 2.—Strong Dormant Buds in the fol-				
lowing varieties:				
Carolina Testout, Etoile de France, Frau Car Druschki, Gruss an Teplitz, Glorie de Dijon,	,			
Glorie de Lyonaise, Hugh Dickson, Jean Lia-				
baud, Killarney, Kaiserin, LaFrance, Mrs. R. S.				
Crawford, Soleil d'Or, Persian Yellow	Farther	15	1 40	13 00
— — AMERICAN BEAUTY	Farthing	20	1 75	15 .00
— — BABY RAMBLER Red	Fashion.	15	1 40	$12^{''}00$
Pink		15	1 40	$12 \ 00$
White	Fashioned	15	1 40	$12 \ 00$

	Tel. Code	Each	D	D.
TREE ROSES—good assortment		40	Per 10 \$3 50	Per 100 \$35 00
— Crimson Rambler and Baby Rambler	Fast	$\frac{40}{45}$	4 00	35 00
Roses in pots, $2\frac{1}{2}$ in., climbing and H. P	. Fasten	08	50	3 00
" " 3½ in., "	. Faster	10	1 20	
o m., budded planes	. Fastest	30	2 50	
SAMBUCUS—Nigra Aurea, Gld. Elder, 1½-2 ft	. Homesick .	10	80	7 00
$2\overset{-}{-3}$ ft	. Homespun . Homestead	$\frac{12}{15}$	$\begin{array}{ccc} 1 & 00 \\ 1 & 20 \end{array}$	8 00
— Variegata, 2–3 ft	. Homeward	10	80	$\begin{array}{ccc} 10 & 00 \\ 7 & 00 \end{array}$
- Racemosus, 4-5 ft	. Homicidal.	$\tilde{1}\tilde{2}$	1 00	, 00
SPIRAEA—A. Waterer, 15–18 in.,-bushy	. Homicide .	10	80	6 00
18-24 in., "	. Homer	12	1 00	8 00
$2-2\frac{1}{2}$ tt., "	. Hominy	15	1 20	10 00
	Honed	$\frac{10}{15}$	$\begin{array}{c} 80 \\ 1 \ 20 \end{array}$	
— Billardii, 2–3 ft		10	80	6 00
3–4 rt		12	1 00	8 00
— Bumalda, $1\frac{1}{2}$ –2 ft., bushy	. Honey	10		
$2-2\frac{1}{2}$ ft., ""	. Honor	12	4 0 -	
— Callosa Alba, $1\frac{1}{2}$ 2 ft., bushy	. Honorary .	12	1 00	8 00
2–2½ tt., "—— Crispifolia, 6–8 m.————————————————————————————————————	Hoodwink	$\frac{15}{10}$	90	
— Opulitolia, 3–4 ft		10	80 80	
4–5 ft		15	1 20	10 00
— Opulifolia Aurea, Golden, 2-3 ft		10	80	10 00
3–4 ft		12	1 00	8 00
4–5 ft	. Hooking	15	1 20	$10 \ 00$
— Prunifolia, 1½–2 ft		10	1 80	0.00
2–3 ft		$\frac{12}{15}$	$\begin{array}{ccc} 1 & 00 \\ 1 & 20 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— Rotundifolia, 2–3 ft.		$\frac{13}{12}$	1 00	8 00
3–4 ft		$\overline{15}$	1 25	10 00
— Reevesii, 2–3 ft		10	80	
3–4 ft		12	0.0	
— Sorbifolia, 2–3 ft		10	1 00	0.00
3-4 ft		$\frac{12}{12}$	$\begin{array}{ccc} 1 & 00 \\ 1 & 00 \end{array}$	$\begin{array}{ccc} 9 & 00 \\ 8 & 00 \end{array}$
2-2½ ft., " 212-3 ft "	. Horizon	15	$\frac{1}{1} \frac{00}{20}$	10 00
		18	$\tilde{1}$ $\tilde{50}$	$\frac{10}{12} \frac{00}{00}$
— Tomentosa, 2–3 ft	. Hornet	10	80	600
3–4 ft		12	1 00	8 00
— Van Houtti, 2–2½ ft		10	1 00	6 00
2½-3 ft		$\frac{12}{15}$	$\begin{array}{ccc} 1 & 00 \\ 1 & 20 \end{array}$	$\begin{array}{ccc} 8 & 00 \\ 10 & 00 \end{array}$
— Veitchi [new], 12–18 in		15	$\frac{1}{1} \frac{20}{25}$	10 00
STEDHANANDRA—Flysa 2-3 ft. bushy	Horrify	10	80	6 00
3–4 tt., "STYRAX—Japonica, 3–4 ft	. Horror	12	1 00	8 00
STYRAX—Japonica, 3–4 ft	.Horses	20	1 50	
SYMPHORICARPOS—Racemosus.	Uorgoghoo	10	90	6 00
- White Snowberry, $\begin{cases} 1\frac{1}{2}-2 \text{ ft., bushy} \\ 2-3 \text{ ft.,} \end{cases}$	Horsewhin	10	$\begin{array}{c} 80 \\ 1 \ 00 \end{array}$	$\begin{array}{ccc} 6 & 00 \\ 8 & 00 \end{array}$
(3–4 ft., "	Hosanna .	15	1 20	10 00
— Vulgaris Red. Indian Current. 1½-2 ft., bushy	Hose	08	70	600
2 -3 ft.	Hosierv	10	90	7 00
	Hospital	$\frac{12}{12}$	1 00	9 00
— — Variegated Leaved, 2–3 ft	Host	15	$\begin{array}{ccc} 1 & 00 \\ 1 & 20 \end{array}$	$\begin{array}{c} 8 & 00 \\ 10 & 00 \end{array}$
3-4 ft	. Hostler	15	$\frac{1}{1} \frac{20}{25}$	10 00
Standard, 4-5 ft	. Hot	$\tilde{20}$	1 50	
— Josikea, Violet, 2–3 ft	. Hotel	15	1 20	10 00
3–4 ft		18	1 50	$12 \ 00$
Persica, 2-3 ft		15 18	$\begin{array}{ccc} 1 & 20 \\ 1 & 50 \end{array}$	
White, 2–3 ft		15	$\frac{1}{1} \frac{30}{20}$	
3–4 ft		18	$\frac{1}{1} \frac{50}{50}$	$12 \ 50$

SYRINGA—Continued.	Tel. Code	Each	Per 10 Per 100
- Rothomagensis, Red Persian, 2-3 ft	. Houseless . \$	15	\$1 20 \$10 00
3-4 ft		18	1 50 12 50
— Saugeana, Red, 2–3 ft	. How	$\frac{15}{18}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— Villosa, Pink, 2–3 ft	. However .	15	1 20 10 00
3–4 ft	. Howling	18 12	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3–4 ft	.Hub	15	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4–5 ft	. Huck	20	1 00 000
— — Alba, Common White Lilac, 2–3 ft	.Huckster	$\frac{12}{15}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4–5 ft	. Huld	$\overline{20}$	1 50
— Alfonse Lavallee, 18–24 in	. Huddle	15	1 00 10 00
— Chas. 10th, Reddish Purple, 2–3 ft	. Hudding .	$\frac{15}{18}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— Marie LeGraye, Dwarf White, $1\frac{1}{2}$ –2 ft	. Huff	12	1 00
— Mad. Lemoine, 2-3 ft		15	1 95 10 00
3–4 ft		$\frac{15}{20}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— Michael Buchner, 18–24 in	. Huge	15	,
— Pres. Grevy, 2–3 ft	. Hull Hulled	$\frac{15}{15}$	1 20 10 00
3–4 ft	. Hum	18	1 50
— Senator Volland, 2–3 ft	. Humanity.	15	
— Souv. de LeSpæth, 2–3 ft	Humble	15 18	1 20
TAMARIX—Africana, 2–3 ft	. Humdrum	10	80 6 00
3–4 ft		12	1 00 8 00
4–5 ft		$\frac{15}{12}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— Indica. 2–3 ft	. Humiliate	$\overline{12}$	1 00
— Japonica, 2–3 ft	. Humidity .	12	1 00
2–3 ft	. Humus	13 15	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3–4 ft	. Humming	18	1 50
Dentatum, { 2-3 ft., bushy	. Humorism	$\frac{12}{15}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Dentatum, { 3-4 ft., "	. Humor	18	1 50 15 00
— Molle, 2–3 It	. Humorist .	15	$1 \ 20 \ 10 \ 00$
3–4 ft		$\frac{18}{12}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3–4 ft	. Humorless	15	$1 \ 20 \ 10 \ 00$
4-5 ft		20	1 50
— Lentago, 2–3 ft		15 18	$\begin{array}{ccc} 1 & 25 \\ 1 & 50 \end{array}$
4–5 ft	. Hunger	$\overline{20}$	
— Opulus, Highbush Cranby , 2–3 ft	. Hungry	12	1 00 8 00
4–5 ft., "'	.Hunt	$\frac{15}{20}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— — Americana. 18–24 in	. Hunts	12	1 00
Sterilis, Common Snowball, 2-3 ft 3-4 ft		$\frac{12}{15}$	$egin{array}{cccccccccccccccccccccccccccccccccccc$
4–5 ft		$\frac{10}{20}$	1 50
Nana, Dwf. Snowball, 6-8 in., bushy	. Huntsman	12	1 00 9 00
8-12 in., " Plicatum, Japan Snowball, 1½-2 ft	Hurale	$\frac{15}{10}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2–3 ft	. Hurled	$\frac{10}{12}$	1 00 10 00
3–4 ft		15	1 25 12 00
4–5 ft		$\frac{25}{35}$	2 00
— Prunifolium, Black Haw, 1½-2 ft	. Hurriedly .	15	
— Rhytidophyllum, 2 yr., new evergreen		20	
- Sieboldi, 2–3 ft		$\begin{array}{c} 00 \\ 25 \end{array}$	
— Tomentosum, 2–3 ft., bushy	.Hurt	12	1 10 10 00
3–4 ft., "		$\frac{15}{20}$	1 25 12 00
	· · · · · · · · · · · · · · · · · · ·	40	

	Tel. Code	Each	Per 1	o Per 100
VITEX—Agnus Castus, Blue, 2–3 ft	. Husbandry	\$12	\$1 00	\$ 8 00
3–4 ft	.Hush	15		•
——————————————————————————————————————	Hushed	12	1 00	
WEIGELA—Amabilis, 2–3 ft	. Hushing	12	1 00	
3–4 ft	.Husk	15	1 20	
— Candida, white, 2–3 ft	. Huskiness	12	1 00	8 00
3–4 ft	. Husking	15	1 20	10 00
4–5 ft	. Husked	20		
— Eva Rathke, 1½–2 ft	. Husky	12	1 00	
$2-2\frac{1}{2}$ ft		15	1 20	10 00
$2\frac{1}{2}$ 3 ft		18		
— Lutea, 2–3 ft	. Hustler	12	1 00	8 00
3–4 ft		15	1 20	
— Lavelli, 2–3 ft		13	1 00	
3–4 ft		15	1 20	
4–5 ft	. Hyrbid	18	1 50	
— Nana Variegata, 1½-2 ft	. Hydrant	10	90	
2 -3 ft		$\overline{12}$	1 00	8 00
$\overline{3}$ -4 ft		$\overline{15}$	1 20	10 00
4 -5 ft	Hydrogenous	20	$1 \ 50$	20 00
— Rosea, 1½–2 ft	Hymn	$\overline{10}$	90	
2 -3 ft	Hyphen	$\frac{10}{12}$	1 00	10 00
3 -4 ft	Hypno	15	1 20	10 00
4 -5 ft	Hypnotism	$\frac{10}{20}$	1 20	
— Steltzeneri, 4–5 ft		$\frac{20}{20}$		
XANTHOCERAS—Sorbifolia, 2-2½ ft	Hypocrite	$\frac{20}{20}$		
2½-3 ft	Hypnotize	$\frac{20}{25}$	_	
XANTHORHIZA—Apiifolia, 12–15 in	Hypnotized	$\overline{15}$	1 20	10 00
15–18 in	Hypnotizing	18	$\frac{1}{1} \frac{50}{50}$	10 00
10 10 III	. 11y photizing	10	1 00	
CLIMBING VINES.				
	el. Code	Each		Per 100
AKEBIA—Quinata, 2 yr., 1st class	.Ice \$	Each 12 \$		Per 100 \$ 8 00
AKEBIA—Quinata, 2 yr., 1st class	.Ice \$			
AKEBIA—Quinata, 2 yr., 1st class	.Ice \$.IcedIdentify	12 \$	1 00	
AKEBIA—Quinata, 2 yr., 1st class	.Ice \$.IcedIdentify	12 \$ 12	$\begin{array}{ccc} 1 & 00 \\ 1 & 00 \end{array}$	\$ 8 00
AKEBIA—Quinata, 2 yr., 1st class	. Ice \$. Iced Identify Identity Idiot	12 \$ 12 10 08 12	$\begin{array}{cccc} 1 & 00 \\ 1 & 00 \\ 80 \end{array}$	\$ 8 00 6 00
AKEBIA—Quinata, 2 yr., 1st class	Ice \$ Iced Identify Identity Idiot Idiotic	12 \$ 12 10 08 12 08	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	\$ 8 00 6 00 6 00 5 00
AKEBIA—Quinata, 2 yr., 1st class AMPELOPSIS—Engelmani, 2 yr., 1st class — Heterophylla (Vitis), 2 yr., 1st class —Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots — Field Grown, 2 yr., 1st class	Ice \$ Iced Identify . Identity . Idiot . Idiotic . Idea	12 \$ 12 10 08 12 08 12 08 10	$ \begin{array}{cccccccccccccccccccccccccccccccccccc$	\$ 8 00 6 00 6 00
AKEBIA—Quinata, 2 yr., 1st class AMPELOPSIS—Engelmani, 2 yr., 1st class — Heterophylla (Vitis), 2 yr., 1st class —Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots — Field Grown, 2 yr., 1st class	Ice \$ Iced Identify . Identity . Idiot . Idiotic . Idea	12 \$ 12 10 08 12 08 10 11 10 12	$\begin{array}{cccc} 1 & 00 \\ 1 & 00 \\ 80 \\ 70 \\ 1 & 00 \\ 60 \end{array}$	\$ 8 00 6 00 6 00 5 00
AKEBIA—Quinata, 2 yr., 1st class AMPELOPSIS—Engelmani, 2 yr., 1st class — Heterophylla (Vitis), 2 yr., 1st class — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots — Field Grown, 2 yr., 1st class — Field Grown, 2 yr., 1st class — Field Grown, 3 yr., selected X	Ice \$ Iced Identify Identity Idiot Idiotic Idea Ideal Idealize	12 \$ 12 10 08 12 08 10 12 15	$egin{array}{cccccccccccccccccccccccccccccccccccc$	\$ 8 00 6 00 6 00 5 00 7 50
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. —Quinquefolia, Virg. Creeper, -2yr., 1st class. 3 yr., extra. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 2 st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2–3 ft	Ice \$ Iced Identify Identity Idiot Idiotic Idea Idea Ideal Ideal Ideal	12 \$ 12 10 08 12 08 10 11 10 12	$egin{array}{cccccccccccccccccccccccccccccccccccc$	\$ 8 00 6 00 6 00 5 00 7 50
AKEBIA—Quinata, 2 yr., 1st class AMPELOPSIS—Engelmani, 2 yr., 1st class — Heterophylla (Vitis), 2 yr., 1st class —Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra Veitchi, Japan Ivy, 1 yr. in pots — Field Grown, 2 yr., 1st class — Field Grown, 2 yr., 1st class — Field Grown, 3 yr., selected X ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft	Ice \$ Iced Identify . Identity . Idiotic Idea Idea Ideal Ideal Ideal Ideal Ideal Ideal Ideal Ideal	12 \$ 12 10 08 12 08 10 12 15 25 30	$egin{array}{cccccccccccccccccccccccccccccccccccc$	\$ 8 00 6 00 6 00 5 00 7 50
AKEBIA—Quinata, 2 yr., 1st class AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft. BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft.	Ice \$ Iced Identify Identity Idiot Idiotic Idea Ideal Ideal Ideal Idle Idle Idle Idle Idleness Ignite	12 \$ 10 08 12 08 10 12 15 25 30 20	$egin{array}{cccccccccccccccccccccccccccccccccccc$	\$ 8 00 6 00 6 00 5 00 7 50
AKEBIA—Quinata, 2 yr., 1st class AMPELOPSIS—Engelmani, 2 yr., 1st class — Heterophylla (Vitis), 2 yr., 1st class — Quinquefolia, Virg. Creeper, -2yr., 1st class — 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots — Field Grown, 2 yr., 1st class — Field Grown, 2 yr., 1st class — Field Grown, 3 yr., strong — Field Grown, 3 yr., selected X ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft — Radicans, Common Trumpet Vine, 2-3 ft	Ice \$ Iced Identify Identity Idiot Idiotic Idea Ideal Idealize Idle Idleness Ignore	12 \$ 10 08 12 08 10 12 15 25 30 20 12	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50	\$ 8 00 6 00 6 00 5 00 7 50
AKEBIA—Quinata, 2 yr., 1st class AMPELOPSIS—Engelmani, 2 yr., 1st class — Heterophylla (Vitis), 2 yr., 1st class — Quinquefolia, Virg. Creeper, -2yr., 1st class — 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots — Field Grown, 2 yr., 1st class — Field Grown, 2 yr., 1st class — Field Grown, 3 yr., strong — Field Grown, 3 yr., selected X ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft — Radicans, Common Trumpet Vine, 2-3 ft	Ice \$ Iced Identify Identity Idiot Idiotic Idea Ideal Idealize Idle Idleness Ignore	12 \$ 10 08 12 08 10 12 15 25 30 20 12 15	$\begin{array}{c} 1 \ 00 \\ 1 \ 00 \\ 80 \\ 70 \\ 1 \ 00 \\ 60 \\ 90 \\ 1 \ 10 \\ 2 \ 50 \\ 1 \ 20 \\ 1 \ 20 \\ \end{array}$	\$ 8 00 6 00 6 00 5 00 7 50 10 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class. 3 yr., extra. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft. BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X	Ice \$ Iced Identify Identity Idiotic Idea Idea Ideal Ideal Ideal Ideal Idelize Idle Idleness Ignite Ignore Ill Ill Illness	12 \$ 12 10 08 12 08 10 12 15 25 30 20 12 15 25	$\begin{array}{c} 1 \ 00 \\ 1 \ 00 \\ 80 \\ 70 \\ 1 \ 00 \\ 60 \\ 90 \\ 1 \ 10 \\ 2 \ 50 \\ 1 \ 20 \\ 2 \ 25 \\ \end{array}$	\$ 8 00 6 00 6 00 5 00 7 50 10 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft 3-4 ft BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots.	Ice \$ Iced Identify Identity Idiotic Idea Idea Ideal Ideal Ideal Ideal Ideal Idleness Ignite Ignore Ill Ill Illustre	12 \$ 10 08 12 08 10 12 15 25 30 20 12 15 25 08	$\begin{array}{c} 1 \ 00 \\ 1 \ 00 \\ 80 \\ 70 \\ 1 \ 00 \\ 60 \\ 90 \\ 1 \ 10 \\ 2 \ 00 \\ 2 \ 50 \\ 1 \ 00 \\ 2 \ 25 \\ 60 \end{array}$	\$ 8 00 6 00 6 00 5 00 7 50 10 00 20 00 5 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft. BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., medium	Ice \$ Iced Identify Identity Idiotic Idiotic Idea Idea Ideal Idealize Idle Idle Idle Idle Idle Idle Illness Illness Illustre	12 \$ 12 10 08 12 08 10 12 15 25 30 20 12 15 25	$\begin{array}{c} 1 \ 00 \\ 1 \ 00 \\ 80 \\ 70 \\ 1 \ 00 \\ 60 \\ 90 \\ 1 \ 10 \\ 2 \ 50 \\ 1 \ 00 \\ 1 \ 20 \\ 2 \ 25 \\ 60 \\ 60 \end{array}$	\$ 8 00 6 00 6 00 5 00 7 50 10 00 20 00 5 00 4 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft. BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., medium	Ice \$ Iced Identify Identity Idiotic Idiotic Idea Idea Ideal Idealize Idle Idle Idle Idle Idle Idle Illness Illness Illustre	12 \$ 12 10 08 12 15 25 30 22 15 25 08 08 10	$\begin{array}{c} 1 \ 00 \\ 1 \ 00 \\ 80 \\ 70 \\ 1 \ 00 \\ 60 \\ 90 \\ 1 \ 10 \\ 2 \ 50 \\ 1 \ 20 \\ 2 \ 25 \\ 60 \\ 80 \\ \end{array}$	\$ 8 00 6 00 6 00 5 00 7 50 10 00 20 00 5 00 4 00 6 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2–3 ft. BIGNONIA—Grand. Chinese Trumpet Vine, 2–3 ft. — Radicans, Common Trumpet Vine, 2–3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., medium 2 yr., field grown, first class. 3 yr., "" extra.	Ice \$ Iced Identify Identity Idiotic Idiotic Idea Idea Ideal Idealize Idle Idle Idle Idle Idle Idle Illness Illness Illustre	12 \$ 10 08 12 08 10 12 15 25 30 20 12 15 08 08	$\begin{array}{c} 1 \ 00 \\ 1 \ 00 \\ 80 \\ 70 \\ 1 \ 00 \\ 60 \\ 90 \\ 1 \ 10 \\ 2 \ 50 \\ 1 \ 00 \\ 1 \ 20 \\ 2 \ 25 \\ 60 \\ 60 \end{array}$	\$ 8 00 6 00 6 00 5 00 7 50 10 00 20 00 5 00 4 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft 3-4 ft BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., medium 2 yr., field grown, first class. 3 yr., "" extra. EUONYMUS—(See Evergreens).	Ice \$ Iced Identify Identity Idiotic Idea Ideal Ideal Idealize Idleness Ignite Ignite Ignore Ill Ill Illness Illustre Imp Image Imagine	12 \$ 12 10 08 12 08 10 12 15 25 30 20 12 15 25 08 08 10 15	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50 1 00 1 20 2 25 60 60 80 1 25	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., X strong. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft. BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., medium 2 yr., field grown, first class 3 yr., "" extra. EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots.	Ice \$ Iced Identify Identity Idiotic Idiotic Idea Ideal Idealize Idle Idle Idle Idle Ignite Ignite Ignore Ill Illness Illustre Imp Image Imagine	12 \$ 12 10 08 12 15 25 30 20 12 15 25 08 08 10 15 12	$\begin{array}{c} 1 \ 00 \\ 1 \ 00 \\ 80 \\ 70 \\ 1 \ 00 \\ 60 \\ 90 \\ 1 \ 10 \\ 2 \ 50 \\ 1 \ 20 \\ 2 \ 25 \\ 60 \\ 80 \\ \end{array}$	\$ 8 00 6 00 6 00 5 00 7 50 10 00 20 00 5 00 4 00 6 00
AKEBIA—Quinata, 2 yr., 1st class AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft — Radicans, Common Trumpet Vine, 2-3 ft CELASTRUS—Scandens, Jap. Staff Vine, 2 yr CLEMATIS—Large Flow. Kinds, 3 yrs., X — Paniculata, 1 yr., in. pots 2 yr., field grown, first class 3 yr., "extra EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots 2 yr. field.	Ice \$ Iced Identify Identity Idiotic Idiotic Idea Ideal Idealize Idle Idle Idle Idle Ignite Ignite Ignore Ill Illness Illustre Imp Image Imagine	12 \$ 12 10 08 12 08 10 12 15 25 30 20 12 15 25 08 08 10 15	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50 1 00 1 20 2 25 60 60 80 1 25	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class. 3 yr., extra. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2–3 ft. BIGNONIA—Grand. Chinese Trumpet Vine, 2–3 ft. — Radicans, Common Trumpet Vine, 2–3 ft. — Radicans, Common Trumpet Vine, 2–3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., field grown, first class. 3 yr., "extra. EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots. 2 yr. field. JASMINUM—(See Shrubs).	Ice \$ Iced Identify Identity Idiot Idiotic Idea Ideal Ideal Idealize Idleness Ignite Ignore Illness Illness Illustre Imp Image Imagine Implore	12 \$ 10 08 12 08 10 12 15 25 30 20 12 15 15 25 08 10 15 12 12 15 12 12 12 12 12 12 12 12 12 12 12 12 12	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50 1 00 60 60 90 1 10 2 25 60 60 80 1 25	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2–3 ft. BIGNONIA—Grand. Chinese Trumpet Vine, 2–3 ft. — Radicans, Common Trumpet Vine, 2–3 ft. — Radicans, Common Trumpet Vine, 2–3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., medium 2 yr., field grown, first class. 3 yr., ""extra. EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots 2 yr. field. JASMINUM—(See Shrubs). KUDZU VINE, 2 yr.	Ice \$ Iced Identify Identity Idiot Idiotic Idea Ideal Ideal Idealize Idleness Ignite Ignore Illness Illness Illustre Imp Image Imagine Implore	12 \$ 12 10 08 12 15 25 30 20 12 15 25 08 08 10 15 12	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50 1 00 1 20 2 25 60 60 80 1 25	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft 3-4 ft BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., field grown, first class. 3 yr., " EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots. 2 yr. field. JASMINUM—(See Shrubs). KUDZU VINE, 2 yr.	Ice \$ Iced Identify Identity Idiotic Idea Idea Ideal Idealize Idleness Ignite Ignore Illness	12 \$ 12 10 08 12 08 10 12 15 25 30 20 12 15 12 15 25 08 10 10 15	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50 1 00 1 20 2 25 60 60 80 1 25 1 00	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00 8 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft 3-4 ft BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., field grown, first class. 3 yr., "" extra. EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots. 2 yr. field. JASMINUM—(See Shrubs). KUDZU VINE, 2 yr. LONICERA— — Brachypoda, Evergreen Honeysuckle, 2 yr.	Ice \$ Iced Identify Identity Idiotic Idea Idea Ideal Idealize Idleness Ignite Ignore Illness Import	12 \$ 12 10 08 12 08 10 12 15 25 30 20 12 15 12 15 25 08 10 15 12 10	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50 1 00 1 20 2 25 60 80 1 25 1 00	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00
AKEBIA—Quinata, 2 yr., 1st class AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra. — Veitchi, Japan Ivy, 1 yr. in pots — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2–3 ft. BIGNONIA—Grand. Chinese Trumpet Vine, 2–3 ft. — Radicans, Common Trumpet Vine, 2–3 ft. — Radicans, Common Trumpet Vine, 2–3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X — Paniculata, 1 yr., in. pots 2 yr., medium 2 yr., field grown, first class 3 yr., " extra. EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots 2 yr. field. JASMINUM—(See Shrubs). KUDZU VINE, 2 yr LONICERA— — Brachypoda, Evergreen Honeysuckle, 2 yr 3 yr.	Ice \$ Iced Identify Identity Idiot Idiotic Idea Ideal Idealize Idealize Idliness Ignite Ignore Illustre Imp Image Imagine Implore Implores Implores	12 \$ 10 08 12 08 10 12 15 25 30 20 12 15 12 12 12 12 12 12 12 12 12 10 12 12 10 12 12 10 12 12 12 12 12 12 12 12 12 12 12 12 10 12 12 12 12 12 12 12 12 12 12 12 12 12	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50 1 00 1 20 2 25 60 60 60 80 1 25 1 00	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00 8 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class. 3 yr., extra. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft. BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., medium 2 yr., field grown, first class. 3 yr., "" EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots. 2 yr. field. JASMINUM—(See Shrubs). KUDZU VINE, 2 yr. LONICERA— — Brachypoda, Evergreen Honeysuckle, 2 yr. — Aurea, Golden Honeysuckle, 2 yr.	Ice \$ Iced Ideatify Identity Idiot Idiotic Idea Ideal Ideal Ideal Ideal Ideness Ignite Ignore Ill Illness Illness Illustre Imp Image Imagine Immense Implores Implores Import Import Imported Impose	12 \$ 12 10 08 12 08 10 12 15 25 30 20 12 15 25 08 10 10 12 12 10	1 00 1 00 80 7 00 1 00 60 90 1 10 2 00 2 50 1 00 2 25 60 60 80 1 25 1 00 1 50 80 1 00 80 80 80 80 80 80 80 80 80 80 80 80 8	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00 8 00 7 00 7 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class. 3 yr., extra. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2–3 ft. BIGNONIA—Grand. Chinese Trumpet Vine, 2–3 ft. — Radicans, Common Trumpet Vine, 2–3 ft. — Radicans, Common Trumpet Vine, 2–3 ft. — Radicans, Common Trumpet Vine, 2 yr. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., medium 2 yr., field grown, first class. 3 yr., "" EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots. 2 yr. field. JASMINUM—(See Shrubs). KUDZU VINE, 2 yr. LONICERA— — Brachypoda, Evergreen Honeysuckle, 2 yr. 3 yr. — Aurea, Golden Honeysuckle, 2 yr.	Ice \$ Iced Ideatify Identity Idiot Idiotic Idea Ideal Ideal Ideal Ideal Ideness Ignite Ignore Ill Illness Illness Illness Imp Image Image Imagine Implores Implores Implores Import Import Impose Impose Impose Imposing	12 \$ 12 10 08 12 08 10 12 15 25 30 20 12 15 25 12 15 22 12 10 12 12 11 12 12	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50 1 00 1 20 2 25 60 60 60 80 1 25 1 00	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00 8 00
AKEBIA—Quinata, 2 yr., 1st class AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft — Radicans, Common Trumpet Vine, 2-3 ft CELASTRUS—Scandens, Jap. Staff Vine, 2 yr CLEMATIS—Large Flow. Kinds, 3 yrs., X — Paniculata, 1 yr., in. pots 2 yr., field grown, first class 3 yr., "extra EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots 2 yr. field. JASMINUM—(See Shrubs). KUDZU VINE, 2 yr LONICERA— — Brachypoda, Evergreen Honeysuckle, 2 yr 3 yr — Aurea, Golden Honeysuckle, 2 yr 3 yr — Belgica. 2 yr	Ice \$ Iced Identify Identity Identity Idioti Idea Idea Ideal Idealize Idealize Idealize Ignore Ignore Ignore Imp Illustre Imp Image Image Implores Implores Implores Import Imposed Imposed	12 \$ 12 10 08 10 12 15 25 30 20 12 15 25 08 08 10 12 12 12 12 12 12 12 10 12 12 12 12 12	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50 1 00 1 20 2 25 60 60 80 1 25 1 00 1 50 80 1 25 1 00	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00 8 00 7 00 8 00
AKEBIA—Quinata, 2 yr., 1st class. AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra. — Veitchi, Japan Ivy, 1 yr. in pots. — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. — Radicans, Common Trumpet Vine, 2-3 ft. CELASTRUS—Scandens, Jap. Staff Vine, 2 yr. CLEMATIS—Large Flow. Kinds, 3 yrs., X. — Paniculata, 1 yr., in. pots. 2 yr., medium 2 yr., field grown, first class. 3 yr., "" extra. EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots 2 yr. field. JASMINUM—(See Shrubs). KUDZU VINE, 2 yr. LONICERA— — Brachypoda, Evergreen Honeysuckle, 2 yr. 3 yr. — Aurea, Golden Honeysuckle, 2 yr. 3 yr. — Belgica. 2 yr. — Halleana, Hall's Jap. Honeysuckle, 2 yrs.	Ice \$ Iced Identify Identify Identity Idiot Idea Idea Ideal Idealize Idealize Idealize Ignore Ignore Ignore Impore Imposed Imposed Imposed	12 \$ 10 08 12 08 10 12 15 25 30 20 12 15 12 12 12 10 12 10 12 11 12 10 10 12 10 10 12 10 10 10 10 10 10 10 10 10 10 10 10 10	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50 1 00 1 20 2 25 60 60 60 80 1 25 1 00 1 20 80 1 25 1 00 80 80 80 80 80 80 80 80 80 80 80 80 8	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00 8 00 7 00 7 00
AKEBIA—Quinata, 2 yr., 1st class AMPELOPSIS—Engelmani, 2 yr., 1st class. — Heterophylla (Vitis), 2 yr., 1st class. — Quinquefolia, Virg. Creeper, -2yr., 1st class 3 yr., extra — Veitchi, Japan Ivy, 1 yr. in pots — Field Grown, 2 yr., 1st class. — Field Grown, 2 yr., 1st class. — Field Grown, 3 yr., selected X. ARISTOLOCHIO—Sipho, Dutchman's Pipe, 2-3 ft BIGNONIA—Grand. Chinese Trumpet Vine, 2-3 ft — Radicans, Common Trumpet Vine, 2-3 ft CELASTRUS—Scandens, Jap. Staff Vine, 2 yr CLEMATIS—Large Flow. Kinds, 3 yrs., X — Paniculata, 1 yr., in. pots 2 yr., field grown, first class 3 yr., "extra EUONYMUS—(See Evergreens). HEDERA—Helix, English Ivy, 2 yr. in pots 2 yr. field. JASMINUM—(See Shrubs). KUDZU VINE, 2 yr LONICERA— — Brachypoda, Evergreen Honeysuckle, 2 yr 3 yr — Aurea, Golden Honeysuckle, 2 yr 3 yr — Belgica. 2 yr	Ice \$ Iced Identify Identify Identity Idiot Idea Idea Ideal Idealize Idealize Idealize Ignore Ignore Ignore Impore Imposed Imposed Imposed	12 \$ 12 10 08 10 12 15 25 30 20 12 15 25 08 08 10 12 12 12 12 12 12 12 10 12 12 12 12 12	1 00 1 00 80 70 1 00 60 90 1 10 2 00 2 50 1 00 1 20 2 25 60 60 80 1 25 1 00 1 50 80 1 25 1 00	\$ 8 00 6 00 6 00 7 50 10 00 20 00 5 00 4 00 6 00 9 00 8 00 7 00 8 00

LONICERA—Continued. — Punicea, Trumpet Honeysuckle, 2 yrs — Sempervirens, 2 yrs	In \$		Per 10 \$1 00 1 00	Per 100
LYCIUM—Barbarum, Matrimony Vine, 2-3 ft	Incensed .	10	80	
	. Incentive .	$\frac{12}{10}$	$\frac{1}{80}$	8 00
— Sinensis, 2–3 ft		$\frac{10}{12}$	1 00	
WISTARIA—Frutescens, 2-3 ft., medium	.Incline	10	90	8 00
3–4 ft		15	1 20	10 00
— Multijuga, 2–3 ft		15	1 20	10 00
3–4 ft		$\frac{15}{15}$	$\begin{array}{ccc} 1 & 30 \\ 1 & 35 \end{array}$	$\frac{12}{12} \frac{00}{00}$
——————————————————————————————————————	.Induce	18 20	1 50 1 80	12 00

EVERGREENS.

These have all been transplanted, most of them several times, giving ample room for full development and frequently sheared to produce compact, symmetrical specimens. Those marked with $a \rightarrow \text{will}$ be dug at the prices named, with the soil adherent to the roots and securely tied in burlap. We will dig in like manner the others at an additional charge of 6c each for $1\frac{1}{2}$ to 2 ft., 8c for 2 to 3 ft. 10c for 3 to 4 ft. 15c for 4 to 5 ft. and 20c for 5 to 6 ft., if requested to do so.

1	Tel. Code	Each	Per 10	Per 100
ABIES—Arizonica, 4–6 in	Labeled	\$ 25		
— Balsamea, Balsam Fir, 3–4 ft	Label	50		
— Concolor, Col. Silver Fir, $1\frac{1}{2}-2$ ft	Labor	75	\$6 50	
<u>2</u> −3 ft., →		1 00		
3–4 ft., →		$\bar{1} \ 50$		
— Fraserii, Fraser's Balsam Fir, 1½-2 ft	Lack	20		
2–3 ft	Lace	$\overline{35}$		
3–4 ft→		50		
- Nobilis Glauca, 18–24 in	Lad	60		
— Nordmanniana, Nordman Fir, 1½-2 ft	Ladder	50	4 00	\$30 00
2–3 ft	Laddie	75	7 00	65 00
3–4 ft., →	Lading	1 75	15 00	00 00
— Pectinata English Silver Fir, 2-3 ft	Ladle	40	10 00	
3–4 ft		50		
— Pendula, Weeping Silver Fir, 4-5 ft →	Lady	$1 \ 20$		
— Subalpina, 3–4 ft	Lagging	75.		
— Veitchii, 1½–2 ft	Lagging	50		
3–4 ft. →	Lagg	1 50		
ABIES—Picea-Alba, White Spruce, 1½-2 ft	Laid	$\frac{1}{25}$	2 00	
2-2½ ft	Lake	30	$\frac{2}{2} \frac{50}{50}$	
2½-3 ft	Lake	35	2 50	
3-4 ft		50		
4–5 ft.	Lamb	1 00		
Alcockiana, 18-24 in	Lamo	40		
2½-3 ft.→	Lamely	65	6 50	
— Douglasii (Prendotsuga), 2–2½ ft	Lamonecc	45	4 00	
2½-3 ft	Lament	50	5 00	
3–4 ft- ↓	Lamonted	65	6 00	
4–5 ft →	Lamp	$1 \ 25$	0 00	
- Engelmanni, 1½-2 ft	Lamps	$\frac{1}{75}$		
- Excelsa, Norway Spruce, 12-18 in	Lamps	12	1 00	
1½-2 ft	Lance	$\frac{12}{20}$	1 50	
$2-2\frac{1}{2}$ it	Lanceu	$\frac{20}{30}$	$\frac{1}{2} \frac{50}{50}$	20 00
$2\frac{1}{2}$ $\frac{1}{2}$ $\frac{1}{3}$ 1	Lancer	35	$\frac{2}{3} \frac{50}{00}$	$\frac{20}{25} \frac{00}{00}$
3–4 ft	Land	45	4 00	$\frac{25}{35} \frac{00}{00}$
4–5 ft →	Landad	4 0 0	9 00	80 00
5–6 ft.→	Landing		9 00	80 00
— Aurea, Golden Spruce, 18–24 in	Landsman	$\begin{array}{c} 1 & 50 \\ 40 \end{array}$		
—— Conica, 18 in	Landladr	30		
Gregoriana Dwarf, 12 in	Landsonna	50 50		
.—— Inverta, Weeping Spruce, 2½–3 ft	Landmari	75		
3–4 ft., →	Languidler	1 00		
4_5 ft	Languidness			
4–5 ft., →	. Languidness	1 25		

### ABIES—Continued. — Pumila, Dwarf, 10-12 in		Tel. Code	Each	Per 10	Per 100
— Pygmea, Dwarf, 8-12 in Landslide				101.10	101 100
— Pyramidal, 8-12 in					
— Procumbens, Dwarf, 18–24 in					
- Nigra Doumetti, 18-24 in Languish 50 4 00 - Orientalis, 18-24 in, bushy Languor 40 3 50 - 2-2½ ft. "Lank 90 8 00 - Polita, 12-18 in Lantern 45 - 18-24 in, with ball Lap 60 - Parryana Glauca, 18-24 in Lapsen 75 - Pungens, Colorado Spruce, 18-24 in Lapsen 75 - 3-4 ft. Larched 1 50 - 2-3 ft. Lapsed 75 - 3-4 ft. Larched 1 50 - 2-3 ft. Larched 1 50 - 2-4 ft. Larched 1 50 - 2-5 ft. Larched 1 50 - 2-5 ft. Larched 1 50 - 2-7 ft. Larched	— Procumbens, Dwarf, 18-24 in	Languid		\$ 5 00	
2-2½ ft. " Lank 90 8 00 - Polita, 12-18 in Lantern 45 18-24 in, with ball Lap 60 - Parryana Glauca, 18-24 in Lapsing 50 - Pungens, Colorado Spruce, 18-24 in Lapsing 50 - 2-3 ft. Lapsed 75 3-4 ft+ Larceny 1 00 4-5 ft+ Larched 1 50 - Koster's Blue Grafted, 1½ ft. Larshed 1 25 10 00 2 ft. Larched 1 25 10 00 2 ft. Larched 2 75 25 00 3 ft. Larched 2 75 25 00 3 ft. Larched 2 75 25 00 3 ft. Larched 2 75 25 00 - Umbilicata, 18-24 in Larched 1 25 10 00 2 ft. Larched 2 75 25 00 3 ft. Larched 2 75 25 00 - Umbilicata, 18-24 in Larched 1 25 10 00 - Umbilicata, 18-24 in Larched 1 25 10 00 - Umbilicata, 18-24 in Larched 1 2 75 25 00 - The provided 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	— Nigra Doumetti, 18–24 in	Languish			
3-3½ ft. Lanky 90 8 00	— Orientalis, 18–24 in., bushy	Languor			
Politic 12-15 in	9 9 7 / £4 66 4	I 1			
18-24 in, with ball	— Polita, 12–18 in	. Lantern		0 00	
— Pungens, Colorado Spruce, 18—24 in Lapsed 75 3—4 ft	18–24 in., with ball	. Lap			
## 1. ## 1.	— Parryana Glauca, 18–24 in	Lapse		6 50	
2 ft.	4-5 ft+	. Larched	1 50		
2½ ft.					150.00
3 ft. + Larger 3 50 0 Umbilicata, 18-24 in Larger 5 00 ANDROMEDA—Catesbæi, (Leucothoe), 8-12 in Larger 5 00 Floribunda, 8-12 in Lashed 50 12-15 in + Lashing 75 7 00 Japonica, Jap. Lily of Valley Tree, 8-10 in Lass 30 2 50 AZALEA—Amcena, 8-12 in Lassitude 60 5 00 AZALEA—Amcena, 8-12 in Lassitude 60 5 00 Hinodigiri, 8-12 in Lassitude 60 5 00 Indica Alba, 15-18 in Lasting 10 5 6 00 55 00 Indica Alba, 15-18 in Lasting 10 5 6 00 55 00 Indica Alba, 15-18 in Lasting 10 5 6 00 55 00 Indica Alba, 15-18 in Lasting 10 5 6 00 55 00 Indica Alba, 15-18 in Lasting 10 5 6 00 55 00 Indica Alba, 15-18 in Lasting 10 5 6 00 55 00 Indica Alba, 15-18 in Lasting 10 5 6 00 55 00 Indica Alba, 15-18 in Lasting 10 5 6 00 55 00 Indica Alba, 15-18 in Lasting 10 5 6 00 55 00 Aurea, Golden Chinese, 18-24 in Latch 25 0 3 5 00 20 00 Aurea, Golden Chinese, 18-24 in Later 45 0 4 50 Compacta, Chinese Compact, 18-24 in Later 45 0 5 5 00 50 00 Pyramidalis, 18-24 in Later 45 0 5 5 00 50 00 Pyramidalis, 18-24 in Later 55 3 4 5 5 00 50 00 Pyramidalis, 18-24 in Lather 55 3 4 5 5 00 50 00 Rosedale Hybrid, 15-18 in Landed 40 3 50 50 50 00 Rosedale Hybrid, 15-18 in Launded 40 3 50 50 50 50 50 50 50 50 50 50 50 50 50		Lard			150 00
Umbilicata, 18-24 in Larger 5 00 ANDROMEDA—Catesbæi, (Leucothoe), 8-12 in Lark 15 1 25 Floribunda, 8-12 in Lash 40 3 50 Floribunda, 8-12 in Lash 40 3 50 Japonica, Jap. Lily of Valley Tree, 8-10 in Lass 30 2 50 AZALEA—Amœna, 8-12 in Lassitude 60 5 00 AZALEA—Amœna, 8-12 in Lassitude 60 5 00 Hinodigiri, 8-12 in Lassoing 40 3 50 Hinodigiri, 8-12 in Last 40 3 50 Hinodigiri, 8-12 in Last 40 3 50 Indica Alba, 15-18 in Lastingly 65 6 00 55 00 Kæmpferi (new) Lastingly 65 6 00 55 00 Kæmpferi (new) Lastingly 65 6 00 55 00 Exempferi (new) Lastingly 65 6 00 55 00 Aurea, Golden Chinese, 1½-2 ft Latch 25 Aurea, Golden Chinese, 18-24 in Later 45 Compacta, Chinese Compact, 18-24 in Later 45 Compacta, Chinese Compact, 18-24 in Later 50 Pyramidalis, 18-24 in Lath 35 2-3 ft Lath 35 3-4 ft Lather 55 3-4 ft Lather 55 3-4 ft Lather 55 3-4 ft Lather 55 Solo 5 5 00 Nana Aurea, (Berkman), 8-12 in Laugh 35 Semper Aurea, Ever Golden, 8-12 in Laugh 35 Semper Aurea, Ever Golden, 8-12 in Laugh 35 BUXUS—Arborescens Tree Box, Bush Form, 8-12 in Launch 30 2 50 Pyramids, 2½ ft., sheared, Laured 2-2½ ft. Laundried 2-2½ ft. Laurdried 2-2½ ft.	3 ft. 4	Large			
— Umbilicata, 18−24 in Largely 50 4 50 ANDROMEDA—Catesbæi, (Leucothoe), 8−12 in Lark 15 1 25 — Floribunda, 8−12 in Lashed 50 12−15 in + Lashed 50 — Japonica, Jap. Lily of Valley Tree, 8−10 in Lass 30 2 50 AZALEA—Amœna, 8−12 in Lassitude 60 5 00 AZALEA—Amœna, 8−12 in Lassitude 60 5 00 — Hinodigiri, 8−12 in Lassoing 40 3 75 35 00 — 12−15 in Lassoing 40 3 75 35 00 — Hinodigiri, 8−12 in Lasty 65 6 60 55 00 — Hinodigiri, 8−12 in Lastly 65 6 60 55 00 — Lasting 12−18 in Lastly 65 6 60 55 00 — Kæmpferi (new) Lasting 1 25 BERBERIS—Ilicifolia, Holly Leaved, 1½−2 ft Lasted 20 2−3 ft Latch 25 BIOTA—Oriental Arbor Vitae, 1½−2 ft Late 25 BIOTA—Oriental Arbor Vitae, 1½−2 ft Late 50 4 50 — Aurea, Golden Chinese, 18−24 in Later 45 — Compacta, Chinese Compact, 18−24 in Later 45 — Pyramidalis, 18−24 in Lathe 55 50 00 2−2½ ft Latenes 60 5 50 50 00 3−2 ft Lathe 55 50 00 3−2 ft Lathe 55 50 00 3−2 ft Latenes 60 5 50 50 00 2−2½ ft Latenes 60 5 50 50 00 2−2½ ft Latenes 60 5 50 50 00 2−2½ ft Latenes 60 5 50 50 00 3−2 ft Latenes 60 5 50 50 00 2−2 ft				00 00	
Telloribunda, 8-12 in Lash Lash 40 3 50	Umbilicata 18-24 in	Largely			
— Floribunda, 8–12 in Lashed 12–15 in Lashing 75 7 00 — Japonica, Jap. Lily of Valley Tree, 8–10 in Lass 30 2 50 AZALEA—Amœna, 8–12 in Lassitude 60 5 00 AZALEA—Amœna, 8–12 in Lassitude 60 3 75 35 00 — Hinodigiri, 8–12 in Lassoing 40 3 75 35 00 — Hinodigiri, 8–12 in Last 40 3 50 — Indica Alba, 15–18 in Lastingly 65 6 00 55 00 — Indica Alba, 15–18 in Lastingly 65 6 00 55 00 — Kæmpferi (new) Lastingly 65 6 00 55 00 — Kæmpferi (new) Lastingly 65 6 00 55 00 BIOTA—Oriental Arbor Vitae, 1½–2 ft. Lasted 20 — Aurea, Golden Chinese, 18–24 in Lateh 25 — Aurea, Golden Chinese, 18–24 in Lateh 45 — Compacta, Chinese Compact, 18–24 in Lateh 55 3–3 ft. Lathe 55 — Pyramidalis, 18–24 in Lathe 55 3–4 ft. Lathe 55 3–4 ft. Latinde 55 — Pyramidalis, 18–24 in Lathe 75 — Elegantissima Rollinson's Golden, 1½–2 ft. Latin 40 3 50 2–3 ft. Latinde 55 5 00 — Nana Aurea, (Berkman), 8–12 in Land 30 2 500 — Rosedale Hybrid, 15–18 in Landing 50 — Rosedale Hybrid, 15–18 in Laughter 35 BUXUS—Arborescens Tree Box, BushForm, 18–24 in Launch 30 2 50 22 50 BUXUS—Arborescens Tree Box, 18–24 in Laughter 35 BushForm, 12–15 in Launched 40 3 50 30 00 2–2½ ft+ Launched 75 — Pyramids, 2½ ft., sheared, 4—15–18 in Launch 30 2 50 22 50 BUXUS—Arborescens Tree Box, 18–24 in Launch 30 2 50 22 50 BUXUS—Arborescens Tree Box, 18–24 in Launching 40 3 50 30 00 — Pyramids, 2½ ft., sheared, 4—15–18 in Launching 40 3 50 30 00 2–2½ ft+ Launched 20 00 2–2½ ft+ Launched 20 00 4 ft., 4—15–18 in Launching 40 3 50 30 00 4 ft., 4—15–18 in Launching 40 3 50 30 00 5 15–18 in Launching 40 3 50 30 00 6 5 15–18 in Launching 40 3 50 30 00 15–18	ANDROMEDA—Catesbæi, (Leucothoe), 8-12 in .	Lark			
12-15 in	— Floribunda 8–12 in	Lashed		5 50	
— Japonica, Jap. Lily of Valley Tree, 8-10 in Lass	12–15 in-♦	. Lashing		7 00	
AZALEA—Amcena, 8–12 in Lassitude 60 2 75 25 00 12–15 in Lasson 30 2 75 25 00 — Hinodigiri, 8–12 in Lasson 40 3 75 35 00 — Lasting 12–18 in Lastly 65 6 00 55 00 — Indica Alba, 15–18 in Lastly 65 6 00 55 00 — Kæmpferi (new) Lastingly 125 BERBERIS—Illicifolia, Holly Leaved, 1½–2 ft Lasted 20 2–3 ft Latch 25 BIOTA—Oriental Arbor Vitae, 1½–2 ft Latchkey 50 4 50 — Aurea, Golden Chinese, 18–24 in Later 50 4 50 — Ompacta, Chinese Compact, 18–24 in Later 45 — Compacta, Chinese Compact, 18–24 in Later 55 3–4 ft Later 55 3–4 ft Latth 35 2–3 ft Latth 35 2–3 ft Latth 35 3–4 ft Latth 35 3–4 ft Lattin 40 3 50 — Pyramidalis, 18–24 in Lathe 55 3–4 ft Lattin 40 3 50 — Rosedale Hybrid, 15–18 in Landing 50 — Rosedale Hybrid, 15–18 in Laught 35 BUXUS—Arborescens Tree Box, Bush Form, 12–2½ ft Launched 20 BUXUS—Arborescens Tree Box, 15–18 in Launched 20 3 ft, Launched 20 12–15 in Launched 20 13–16–18 in Launched 20 2–2½ ft Launched 20 2–2½ ft Launched 20 15–18 in Launched 20 2–2½ ft Launched 20 15–18 in Launched 20 16–18 in Launched 20 2–2½ ft Laundries 125 2½–3 ft, XX Laundries 125 2½–3 ft, XX Laundries 125 2½–3 ft, XX Laundried 20 15–18 in Launched 20 15–18 in Launched 20 2–2½ ft Laundries 125 2½–3 ft, XX Laundried 20 2½ ft Laundry 130 12 50 4 ft, Laurel 175 15 00 3 ft, Laurel 175 15 00 5 ft, "Laurel 175 15 00 5 ft, "Laurel 20 17 50 4 ft, "Laurshed 20 17 50 4 ft, "Laurshed 20 17 50 5 ft, "Laurshed 20 17 50 - Stands, 12 in, sheared heads, Lauvishing 350 — Stands, 12 in, sheared heads, Lauvishing 350 15 in, "Lauvishing 350	— Japonica, Jap. Lily of Valley Tree, 8-10 in	Lass			
12-15 in	12–15 in	. Lassitude .			05 00
—— Hinodigiri, 8–12 in. Last					
12-18 in	— — Hinodigiri. 8–12 in	Last			00 00
Rempferi (new)					
BERBERIS—Ilicifolia, Holly Leaved, 1½—2 ft. Latch 25 BIOTA—Oriental Arbor Vitae, 1½—2 ft. Latch 25 BIOTA—Oriental Arbor Vitae, 1½—2 ft. Latch 25 — Aurea, Golden Chinese, 18—24 in Later 45 — Compacta, Chinese Compact, 18—24 in Later 45 — Compacta, Chinese Compact, 18—24 in Later 45 — Pyramidalis, 18—24 in Later 75 — Pyramidalis, 18—24 in Lath 35 — 2—3 ft. Lath 35 — 2—3 ft. Lath 35 — Lath 35 — Lath 55 — Lather 75 — Elegantissima Rollinson's Golden, 1½—2 ft. Latin 40 3 50 — Nana Aurea, (Berkman), 8—12 in Land 30 2 50 — Nana Aurea, (Berkman), 8—12 in Land 30 2 50 — Rosedale Hybrid, 15—18 in Landing 50 — Rosedale Hybrid, 15—18 in Laught 35 — Japonica erecta, 18—24 in Laughter 35 BUXUS—Arborescens Tree Box, 15—18 in Launched 40 3 50 30 00 BUXUS—Arborescens Tree Box, 15—18 in Launched 20 — Pyramids, 2½ ft., sheared, 4 Launching 12½—15 in Launched 22½—15—15 in Launched 22½—15—15—15—15—15—15—15—15—15—15—15—15—15—				6 00	55 00
BIOTA—Oriental Arbor Vitae, 1½-2 ft. Latch	BERRERIS—Higifolia Holly Leaved 11/2 ft	Lasting			
BIOTA—Oriental Arbor Vitae, 1½—2 ft. Latchkey 50 3 50 20 00 2-3 ft. Late 50 4 50 4 50					
—— Aurea, Golden Chinese, 18–24 in Later 45 —— Compacta, Chinese Compact, 18–24 in Lately 40 3 00 25 00 2–2½ ft. Lateness 60 5 50 50 00 2–2½ ft. Lateness 75 —— Pyramidalis, 18–24 in Lath 35 2–3 ft. Lath 55 3–4 ft. Lather 75 —— Elegantissima Rollinson's Golden, 1½–2 ft. Latin 40 3 50 2–3 ft. Latitude 55 5 00 3–4 ft. Latitude 30 2 50 —— Nana Aurea, (Berkman), 8–12 in Land 30 2 50 —— Semper Aurea, Ever Golden, 12–15 in Landed 40 3 50 —— Rosedale Hybrid, 15–18 in Laugh 35 3 00 —— Rosedale Hybrid, 15–18 in Laugher 35 —— Rosedale Hybrid, 15–18 in Laugher 35 —— Buxus—Arborescens Tree Box, 18–24 in Launch 30 2 50 22 50 Buxus—Arborescens Tree Box, 18–24 in Launch 30 2 50 22 50 Buxus—Arborescens Tree Box, 18–24 in Launch 30 2 50 22 50 Buxus—Arborescens Tree Box, 18–24 in Launch 30 2 50 30 00 —— Pyramids, 2½ ft., sheared, 4 Launched 2 00 —— Pyramids, 2½ ft., sheared, 4 Laundries 1 25 2½–3 ft., XX + Laundried 2 00 —— Pyramids, 2½ ft., sheared, 4 Laundried 2 00 3 ft., 4 Laurel 1 75 15 00 3½ ft., 4 Lavished 2 50 5 ft., 4 Lavished 2 50 —— Stands, 12 in., sheared heads, 4 Lavish 1 50 15 in., 4 Lavish 1 50 Lavishly 2 00	BIOTA—Oriental Arbor Vitae, 1½-2 ft	. Latchkey .	50		20 00
$\begin{array}{cccccccccccccccccccccccccccccccccccc$				4 50	
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	— Aurea, Golden Chinese, 18–24 in	Later		3 00	25 00
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	2-2½ ft	Lateness			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$					
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				2	
— Elegantissima Rollinson's Golden, 1½—2 ft. Latin					
$\begin{array}{cccccccccccccccccccccccccccccccccccc$	- Elegantissima Rollinson's Golden, 1½-2 ft	Latin		3 50	
$\begin{array}{c} - \text{Nana Aurea, (Berkman),} \\ - \text{Semper Aurea, Ever Golden,} \\ - \text{Semper Aurea, Ever Golden,} \\ - \text{Semper Aurea, Ever Golden,} \\ \text{Rosedale Hybrid, 15-18 in} \\ \text{Rosedale Hybrid, 15-18 in} \\ - \text{Japonica erecta, 18-24 in} \\ - \text{Sumbsupper Box,} \\ - \text{Buxus-Arborescens Tree Box,} \\ - \text{Bush Form,} \\ \text{Pyramids, } 2\frac{1}{2}\text{ft., sheared,} \\ \text{Pyramids, } 2\frac{1}{2}\text{ft., sheared,} \\ \text{Stands, 12 in., sheared heads,} \\ \text{Stands, 12 in., sheared heads,} \\ \text{Stands, 12 in., sheared heads,} \\ \text{Lavishly} \\ - Lavishly$	2–3 ft	Latitude		5 00	
- Semper Aurea, Ever Golden, 12-15 in Landed 40 3 50 15-18 in Landing 50 350 3 00	3–4 ft →	. Lattice			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$					
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$				3 30	
BUXUS—Arborescens Tree Box, Bush Form,				3 00	
BUXUS—Arborescens Tree Box, Bush Form, Bush Bush Launching Bush Bush Bush Launching Bush Bush Bush Bush Bush Bush Bush Bush				1 00	15 00
BUXUS—Arborescens Tree Box, BushForm,	12-15 m	Laughing .			
$\begin{array}{c ccccccccccccccccccccccccccccccccccc$	BUXUS—Arborescens Tree Box. 18-24 in-				
—— Pyramids, 2½ ft., sheared, → Laundry 1 30 12 50 3 ft., " → Laurel 1 75 15 00 3½ ft., " → Lavender 2 00 17 50 4 ft., " → Lavished 2 50 5 ft., " → Lavishing 3 50 —— Stands, 12 in., sheared heads, → Lavishly 2 00 15 in., " → Lavishly 2 00					
3 ft., " Laurel 1 75 15 00 3½ ft., " Lavender 2 00 17 50 4 ft., " Lavished 2 50 5 ft., " Lavishing 3 50 Stands, 12 in., sheared heads, Lavish 1 50 15 in., " Lavishly 2 00				12.50	
3½ ft., "	3 ft. "				
4 ft., " → Lavished . 2 50 5 ft., " → Lavishing . 3 50 —— Stands, 12 in., sheared heads, → Lavish . 1 50 15 in., " → Lavishly . 2 00	3½ ft., " →	Lavender .	2 00		
—— Stands, 12 in., sheared heads, →	4 ft., " →				
15 in., " "+Lavishly 2 00	J 10.,				

THE COLUMN TO THE COLUMN TWO IS NOT THE COLU	D I-	D	D
BUXUS—Continued. Tel. Code — Suffruticosa Dwf. Edg. (3-4 in. \$20 00 per 1000 Lawful \$	Each 05	\$ 30	Per 100 \$2 50
4-5 in. 35 00 per 1000 Lawless	06	50	4 00
5-6 in. 50 00 per 1000 Lawn	07	50	5 50
CALLUNA—Vulgaris, 12–15 inLawns	12	1 00	9 00
CEDRUS—Atlantica Glauca, 11/2-2 ftLawsuit	55	5 00	
(, 1	$\begin{array}{c} 1 & 00 \\ 40 \end{array}$	3 50	
— Deodora, 18–24 in Laying Laying	18	1 50	
CRATAEGUS—Pyracantha, 1½-2 ftLayer	$\tilde{25}$	2 00	
2-3 ftLaziness	30	2 50	
CRYPTOMERIA—Lobbi, Compacta, 2–3 ft Lazy	70	6 50	
CUPRESSUS—Lawsoniana, 12–18 in Lead DAPHNE—Cneorum, 6–10 in Leader	$\frac{25}{25}$	2 00	
8-12 in Leading	40		
EUONYMUS—Britzensis Leaflard	15	1 20	10 00
— Japonicus, 12–18 in., bushy Leaf	10	90	8 00
- Variegata, 18-24 in., "Leafy	15	1 20	
Linarius Leaflet (8-12 in., bushy 2 yr Leafing	$\frac{25}{08}$	$\begin{array}{ccc} 2 & 50 \\ & 70 \end{array}$	5 00
Radicans, $\begin{cases} 12-15 \text{ in.,} & \text{Sushly 2 yr} \dots \text{Leak} \dots \end{cases}$	10	80	7 00
Radicans, 12-15 in., " 2 yr Leak 18-24 in., " 2 yr Leakos	15	1 30	$12 \ 00$
(8-12 in bushy 2 yr Leakage	08	70	5 00
— Variegata, 12—15 in., "2 yr Leaking — Carrieri, 12—15 in Leaked	10	80	6 00
Commoni 12 15 in Looked	$\frac{15}{15}$	$\begin{array}{ccc} 1 & 30 \\ 1 & 20 \end{array}$	$\begin{array}{ccc} 10 & 00 \\ 12 & 00 \end{array}$
ILEX—Crenata, Japan Holly, 15–18 in Leaky	$\frac{15}{25}$	$\frac{1}{2} \frac{20}{00}$	14 00
18–24 in Leap	30	$\frac{2}{2}$ $\frac{75}{1}$	25 00
$2-2\frac{1}{2}$ ftLeaped	55	5 00	$40 \ 00$
— Opaca, American Holly, 1½–2 ft., Leaping	65	$\frac{6}{7}$ $\frac{00}{50}$	70.00
2 -3 ft., \lambda Learning .	80	$\begin{array}{ccc} 7 & 50 \\ 2 & 50 \end{array}$	$70 \ 00$
JUNIPERUS—Canadensis, 18 in Learner — Communis, 24–30 in. across → Learn	$\frac{30}{45}$	$\frac{2}{4} \frac{50}{50}$	
- Communis Aurea (12-18 in across Learned	35	3 00	25 00
Douglas Golden, 18–24 in., " + Lease Lease	50	4 50	40 00
24–30 in., " → Leased	$\frac{75}{20}$	6 00	
—— Prostrata, 15–18 in	$\frac{20}{25}$	$\begin{array}{ccc} 1 & 50 \\ 2 & 00 \end{array}$	
— Hibernica, Irish Juniper, [15–18 in Leave	$\frac{29}{09}$	70	6 00
18-24 in Leaving	10	80	7 50
2 ftLed	25	2 00	17 50
3–4 ft., sheared → Ledge	40	3 50	
— Japonica, Japan Juniper , 12–18 in., bushy Ledger Left Left	$\frac{25}{35}$	$\begin{array}{ccc} 2 & 00 \\ 3 & 25 \end{array}$	30 00
— — Aurea, Japan Golden Juniper, 15–18 in Leg	30	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	30 00
1½-2 ft., ↓ Legacy	60	$\frac{5}{5}$ $\frac{50}{50}$	
$2-2\frac{1}{2}$ ft., $+$ Legal	80°	$7\ 50$	
— Variegata, Japan Var. Juniper, 1½-2 ft → Legally	$\frac{75}{15}$	1 0-	10.00
— Sabina, 12–15 in Legion	$\frac{15}{25}$	$\begin{array}{cc} 1 & 25 \\ 2 & 00 \end{array}$	$\frac{12}{15} \frac{00}{00}$
18–24 in Lemon	$\frac{20}{30}$	$\frac{2}{2} \frac{50}{50}$	$\frac{15}{25} \frac{00}{00}$
2-2½ ft Lender	45	$\frac{1}{4} 00$	35 00
— Variegata, 6–8 in Lend	25		
8-12 in	35	0.70	
— Sinensis, Variegated, Chinese Juniper, 12–18 in . Length 18–24 in . Lengthening	$\frac{30}{40}$	$\begin{array}{ccc} 2 & 50 \\ 3 & 50 \end{array}$	
	$1 \frac{40}{25}$	10 00	
— Stricta, 6-8 in., bushyLengthen .	12	1 00	8 00
8-12 in., " Lengthy	25	2 00	15 00
12–18 m.,Lemency .	35	3 00	$\frac{25}{40}$ 00
18-24 in., " Lenien	$\begin{array}{c} 50 \\ 75 \end{array}$	4 50	40 00
— Suecica, Sweedish Juniper, 12–15 in Lenient	15	1 25	
— Squammata, 12–15 in Lenten	40		
— Tamariscifolia, Prostrata, 12–15 in Lent	25	2 00	
18–24 in→Lentil	75		

JUNIPERUS—Continued.	Tel. Code		h Per 10	Per 100
Virginiana, Red Cedar , 2-2½ ft	Leo	\$ 18 25	\$ 1 50 2 00	\$15 00 20 00
$3-3\%$ ft. sheared \rightarrow	Leper	40		30 00
4 ft., " +	Less	75	7 00	
4 ft., " + 5 ft., " +	Lesson	1 00 40		
		40		
— Glauca, Blue Cedar, $\begin{cases} 1\frac{1}{2}-2 \text{ ft., grafted} \\ 2-3 \text{ ft.,} + \dots \\ 3-4 \text{ ft.,} + \dots \end{cases}$	Let	45		00 00
Glauca, Blue Cedar, 2-3 It., +	Letting	$\begin{array}{c} 70 \\ 1 \ 10 \end{array}$		60 00
Elegantissima, 1½-Zit	. Lettuce	35		
2–3 ft., →	Level	$\frac{1}{30}$		
— Pfitzeriana, 15–18 in	Lever	50 50		
3–4 ft.→	Levy	2 50		
KALMIA—Latifolia, Mountain Laurel, (15–18 in	Liable	45 55		
(Nursery grown) (18–24 in	Libel	55 6 5		
Collected, $\begin{cases} 2-3 & \text{ft.} \\ 3-4 & \text{ft.} \end{cases}$	Liberal	75		
Collected Stock in carload lots. Prices on applicat LAURUS—Shipkænsis, Hardy Bay, 12–18 in	ion. Liberate	50		
MAHONIA—Aquifolia, Holly Lvd. Ash'by, 1-1½ fo	t. Liberty	15		12 00
$1\frac{1}{2}-2$ fy	t.License	20	1 75	15 00
— Japonica, 12–18 in		$\begin{array}{c} 18 \\ 20 \end{array}$		15 00
PINUS—Austriaca, Austrian Pine, 2–3 ft	Licking	40		10 00
3-4 ft . →	. Lickorice	75		65 00
4-5 ft. →	Lie	$\frac{1}{30}$		25 00
18–24 in	. Life,	45	4 00	-0 -0
2-3 ft +	Lifeline	65 50		
— Excelsa Bothan Pine , 2–3 ft	Lifelike	50 75	7 00	
4–5 ft+	. Lifetime	1 25	10 00	
— Mugho, Dwf. Mt. Pine , 12–15 in., across 15–18 in., "	Lifted	$\frac{40}{50}$	3 50 4 50	40 00
18–24 in., " →	Lifting	60		50 00
— Parviflora Glauca, 1½ ft		75		
2 ft	Ligament .	$\frac{1}{35}$		
- Strobus, White Pine, 2-3 ft	Light	30	2 75	25 00
3–4 ft	Lighten	55	$\begin{array}{ccc} 5 & 00 \\ 9 & 00 \end{array}$	45 00
4-5 ft-↓	Lightly	$\begin{array}{ccc} 1 & 00 \\ 1 & 50 \end{array}$	9 00	
— — Nana, Dwf. Wh. Pine , 12–18 in., across	Liked	40		
18–24 in., "	. Like	$\frac{50}{35}$	3 25	30 00
3–4 ft	. Likeness	70	$\begin{array}{c} 6 & \overline{50} \end{array}$	60 00
4−5 ft →		1 00		
RETINOSPORA— 5-6 it. →		1 50		
— Ericoides, 12–15 in., extra bushy	.Limb	18		12 50
18–24 in., " "	. Limbering.	$\frac{30}{50}$	$\begin{array}{cccc} 2 & 50 \\ 4 & 50 \end{array}$	
— Filifera, 12–18 in	Limit	18	1 50	12 00
$1\frac{1}{2}$ -2 ft	. Limited	40	3 50	30 00
2-2½ ft., + 3-4 ft., +		$\begin{array}{c} 75 \\ 1 \ 00 \end{array}$	6 50	60 00
4–5 ft., →	. Limping	1 50		
5–6 ft., →	.Limped	$\begin{array}{cc} 2 & 50 \\ & 35 \end{array}$	3 00	25 00
— — Aurea, 8–12 in., bushy	. Linen	50	4 50	20 00
 Leptoclada, 2-2½ ft → Lycopodioides, Club Moss, 12-18 in 	Lineage	75		
— Lycopodioides, Club Moss, 12–18 in	.Lineal	35		

RETINOSPORA—Continued.	Tel. Code	Each Per 10 Per 100
— Obtusa, 12–18 in		
3-4 ft. →		
—— Compacta, 15–18 in., "	Lingo	30 2 50 22 50
—— Gracilis, 10–12 in		
2-2½ ft.,		75
— — Aurea, 18–24 in	Link	45 4 00 30
) 10–12 in	. Linking	40
— — Aurea, Dwarf Golden, § 10–12 in 12–18 in		
— Pisifera, 18–24 in	Lint	25 2 00
2-2½ ft		
—— Aurea, 12–18 in		
1½-2 ft		
2–3 ft	Liquate	
4–5 ft., +	. Liquidator	1 75
— Plumosa, 12–18 in		
2-2½ ft	Lisp	60 5 50 50 00
2½-3 ft	Lisped	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
4–5 ft., →	List	1 50
5-6 ft., +		$egin{array}{cccccccccccccccccccccccccccccccccccc$
18–24 in	Listless	35 3 50 30 00
2–3 ft., +		. 55 15 1 20 10 00
1½-2 ft	. Literally	35 3 00 25 00
2-2½ ft., sheared		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
3–4 ft., " +	.Litheness .	1 25 10 00
5-6 ft., " +		$egin{array}{cccccccccccccccccccccccccccccccccccc$
15–18 in	Littering .	40 3 50 30 00
1½−2 ft., →		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
$1\frac{1}{2}-2$ ft	Live	50 4 00
2–3 ft., +		$\begin{array}{cccc} 75 & 6 & 50 \\ 1 & 25 \end{array}$
4–5 ft., →	Lived	1 50 15 00
5-6 ft., →	Livery	2 00
- Album Elegans, 12-18 in., no buds		
- Caractacus, 12–18 in., few buds - Everestianum, 18–24 in., few buds	. Lividness .	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— Grandiflora, 18–24 in., well budded.	Living	65 6 00 55 00
	Load Loaded	
— Abr. Lincoln.	. Boarded	, 1 00 12 00
— Boule d'Neige, — Chas. Dickens, [12–18 in., no buds	Loading	50 4 50
- H. H. Hunnewell, 18-24 in few buds	Loaf	$\begin{array}{cccc} 55 & 5 & 00 \\ 60 & 5 & 50 \end{array}$
Gent Grant 18-24 in., well budded	. Loafing	70 6 50
$- \text{W. S. Rand,} \qquad \qquad 2-2\frac{1}{2} \text{ ft.,} \qquad \qquad \qquad +$	Loam	$1 \ 30$ $12 \ 50$
— H. W. Sargent, [15–18 in., no buds	Loatha	40 2 75 25 00
J 18–24 in., few buds	. Loathed	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
- Catawbiense, $18-24$ in., well budded $2-2\frac{1}{2}$ ft., " $+$	Loatling Loathsome	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
2½-3 ft., " " ‡	Loaves	$egin{array}{cccccccccccccccccccccccccccccccccccc$

RHODODENDRON—Continued. — Maximum, nursery grown, 1½-2 ft	Lobby	Each \$ 40 1 00	Per 10	Per 100
3-4 ft		1 50		
SCIADOPITYS—Verticillata, 12–18 in., +	Local	$\begin{array}{cc} 1 & 00 \\ 2 & 00 \end{array}$	\$ 8 50 17 50	
$2\frac{1}{2}-3$ it., $+\dots$	Located	$2\ 50$	25 00	
3-3½ ft., →	Locate	$\begin{array}{ccc} 3 & 50 \\ 5 & 00 \end{array}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	
TAXUS—Brevifolia, 8–15 in	Location .:	50	4 50	\$35 00
18-24 in., with ball — Baccata, English Yew, 12-18 in		$\frac{1}{25}$	$\begin{array}{cccccccccccccccccccccccccccccccccccc$	75 00
— Cuspidata, 12–18 in	Locking	50		
2–3 ft., →	Locked	1 00		
— Repandens, 8-12 in— Elegantissima, 2-3 ft ←	Locket	50 75		
— Pyramidal, 3 ft., →	Locust	1 00		
4 ft., →	Lodge	$\begin{array}{ccc} & 1 & 25 \\ & & 75 \end{array}$		
THUYA—Occidentalis, Am. Arbor Vitae, 18 in	Load	10	80	
$2-2\frac{1}{2}$ it $2\frac{1}{2}-3$ fr	Lodger Lodging	$\frac{12}{30}$		$\begin{array}{cc} 9 & 00 \\ 20 & 00 \end{array}$
3-4 .t	Loft	30	2 75	25 00
	Lofty Log	$^{-60}$		50 00
— — Aurea Lutea, Geo. Peabody, 12–15 in	Logic	40	3 50	
$18-24$ in \dots $2-2\frac{1}{2}$ ft \dots	Logical	50 70		
3–4 ft. →	Loiter	1 00		
—— Boothi, 12–15 in	Loitered	$\begin{array}{c} 1 & 25 \\ & 35 \end{array}$		
2 – $2\frac{1}{2}$ ft	Loitering	60	5 00	
— — Columbiana, Silver Tipped , 12–18 in		30 - 40		
2-2½ ft. +		50 ess 15		10 00
— — Compacta, Parsons Dwf., 8–12 in		$\frac{15}{25}$		15 00
— — Globosa, Dwarf Globe , 8–12 in		45 15		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
12–15 in		$\frac{10}{30}$		12 00
15–18 in	Longing	$\frac{45}{12}$		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
15–18 in	Look	20	1 80	
— Pyramidalis, Pyramidal Arb. Vit. , $12-18$ in	Looking	$\frac{40}{15}$		$\begin{array}{cccc} 30 & 00 \\ 7 & 50 \end{array}$
$1\frac{1}{2}-2$ ft.	Loop	. 18	1 50	10 00
	Loose	$\begin{array}{c} 20 \\ 25 \end{array}$		$\begin{array}{ccc} 12 & 00 \\ 15 & 00 \end{array}$
$3\overset{-}{-}4 ext{ ft} \dots$	Looser	50	4 50	40 00
—— Rosedale Hyb., 10–12 in	Loosly Lord	$\begin{array}{ccc} 1 & 25 \\ & 35 \end{array}$		
— — Rosenthali, 18–24 in	Loss	50		
— Spathii, 18-24 in		$\frac{50}{20}$		
12-15 in .	Lot	25	2 00	15 00
— Vervaeneana, Vervaenes Golden, 18–24 in .	Lottery ' Loud	$\frac{35}{30}$		30 00
$2\frac{1}{2}-3 \text{ ft.}$.	Louder	50		19 00
— Wareana, Siberian Arbor Vitae, $12-15$ in $1\frac{1}{2}-2$ ft	Loudest	$\begin{array}{c} 15 \\ 25 \end{array}$		12 00
2–2½ ft 2½–3 ft ↓	Lovely Low	30 50		
2/2 0 10. ₩		50		

		Tel. Code	Each	Per 10	Per 100
	(1½-2 ft., bushy	Loyal	40	3 50	30 00
		Lucid	50	4 50	40 00
TSUGA—Canadensis,	21/2-3 ft "	Luck	65	6.00	55 00
Hemlock Spruce,	3-4 ft., "	Lumber	85	8 00	75 00
	4-5 ft "	Lumber	1 50		
	5-6 ft "	→ Luna	2 00		
- Caroliniana, 18-24 in			50	5 00	
- Sargenti pendula, 8-			75		
- Hookeriana Blue Her			50	4 50	
		ballLustre	1 25		
THUYOPSIS—Borealis,			50		
— Standish, 1½-2 ft			35	3 00	
YUCCA—Angustifolia			10		
— Filamentosa, Adam's			10	90	8 00

- HARDY HERBACEOUS PERENNIALS

F. C.—Field Clumps. Pot—Pot plants.

1. C. Tield Grumps.	1	
	Tel. Code	Each Per 10 Per 100
Achillea—The Pearl, F. C	Oats	\$ 10 \$ 80 \$ 6 00
— Milifolium		10 80
Anthemis—Tinctoria		08 60
Anemonie—Assorted, F. C	Obey	10 80 5 50
Armeria—Maritima, F. C	Obeying	10 80
— Robusta, F. C	Obeyed	10 80
Astilbe—Japonica, F. C		10
Aster—Hardy assorted, F. C	Object	10 80 6 00
Anchusa—Italica, Pot	Objecter	10 80
Aquiligia—assorted, F. C	Objected .	10 80 6 00
Arabis—Alpina, Pot	Objecting .	10 80 6 00
Alyssum—Śweet, Pot	Oblige	10 80 6 00
Asclepia—Tuberosa, Pot		10 80
Boltonia—Asteroides, Pot	Obliged	10 80 6 00
- Latisquama, Pot		10 80 6 00
Bocconia—Cordata, F. C	Obliging	10
Callirhoe-Involucrata, F. C.	Oblique	10 80 8 00
Campanula—assorted, F. C		10 80 6 00
Calluna—Vulgaris, F. C.		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Cassia—Marylandica, Pot	Obscure	10 80 6 00
Caryopteris—Mastacanthus, Pot		08 60 5 00
Chrysanthemums—Hardy pompons, F. C	Obtain	08 60 5 00
Coreopsis—Lanceolata, F. C.	Occupy	10 80 5 00
Convalaria—F. C		10 80 6 00
Centanea—Orientalis, F. C	Ocean	10 80 0 00
Daisy—Shasta, F. C. and Pot		
		/ 0 00
Delphinum—assorted, Pot		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— Plumaris, F. C — Her Majesty, F. C	Office	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
— Her Majesty, F. C	Offices	$\frac{10}{10}$ 80 6 00
— Marguerita, Pot	Official	10 80
Dictamus—Rubra, F. C	Oil	12
Digitalis—assorted, F. C Dicentra—Spectabilis, F. C	Oint	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Dicentra—Spectabilis, F. C. I	Ontment .	$\frac{10}{10}$ 80 6 00
Eupatorium—F. C	Omit	
Erythrina—Christi Galli, F. C	Omitting	10 80
Funkia—Variegata, F. C	Omelet	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Festuca—Glauca, F. C., and Pots		$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Gaillardia—Grandiflora, F. C		$\frac{10}{10}$ 80 7 00
Geum—Atrosanguinea, Pot		$\frac{10}{10}$ 80 6 00
Gypsophylla—Paniculata, Pot		$\frac{10}{10}$ 80 6 00
Heucheria—Sanguinea, F. C	Operate	10 80 7 00
Hibiscus—Crimson Eye, F. C	Operator .	10 80 6 00
— Militaris, F. C — Moscheutos, F. C	Operating.	10 80 6 00
— Moscheutos, F. C.	Operated	10 80 6 00
Heliopsis—Veitchi, F. C	Opinion	10 80 6 00

Tel. Ccde	Each	Per 10	Per 100
Helianthus—Nana Fl. Pl., F. C. and Pots Oppose	\$ 10	\$ 80	\$6 00
— Maxmilli F C	10	80	\$0.00
Hemerocallis—Assorted, F. COpposer	10	80	6 00
Hollyhock—Named colors, Dbl., F. COptician	08	60	5 00
Iberis—Sempervirens, F. C Orchard	10	80	7 00
— Gibraltar, Pot Orchardist	10	80	7 00
Iris—German, named F. C Ordain	10	80	6 00
— Japan named F C	10	80	6 00
— Siberica, F. C Original	10	80	6 00
Liatris—F. C.,	10	80	6 00
Lupinus—Pink Beauty, F. COrganized	10	80	6 00
Lobelia—Cardinalis F. C. Organizer	10	80	7 00
Lychnis—Chalcedonia, F. C	10	80	5 00
— — White, Pot	10	80	5 00
— Diurna, F. C., and Pots	10	80	6 00
— Viscaria, Fl. Pl., F. C Organist	10	80	6 00
Lythrum—Roseum, PotOrphan	10	80	6 00
Monarda—Didyma, F. COrthodox.	10		
Myosotus—Palustris, F. COur	10	80	6 00
Oneothera—Macrop, PotOurself	10	80	6 00
Poppy—Orientalis, F. COurselves .	10	80	6 00
— Nudicaule, F. COut	08	80	6 00
Penstemon—Barbatus, F. C	10	80	6 00
Polymonium—Coerulea, F. COutlet	10	80	6 00
— White, F. C Outfit	. 10	80	
Pachysandra—Terminalis, F. COutfitting	10	80	1
— Variegated, F. COutfitted	10	80	
Physostiga—PotOutfitters.	10	80	
Platycodon—Assorted PotOutlaw	10	80	6 00
Plumbago—Larpentæ, F. C Outrage	10	80	8 00
Primula—Veris, PotOutside	10	80	
Pyrethrum—Hybrid Fl. Pl Outwitted	10	80	6 00
— Single Mixed, F. COutwitter.	10	80	6 00
Paeonia—Pink sorts namedOutward .	15	1 30	12 00
— Red, sorts named Oval	15	1 30	12 00
— White sorts named	15	1 30	12 00
— Fringe LeafOvaled	20	1 80	
— Festiva MaximaOvals	25	2 00	
— Tree Moutan Oven	50	=0	0.00
Phlox—Amœna, F. C Ovens	08	70	6 00
— Subulata, Moss Pink and White, F. C Over	08	50	4 00
— Perennial, Best named kinds, F. C Overturn	06	50	4 00
Rudbeckia—Newmanii, F. C	10	80	= 00
Salvia—Azurea, F. C Overflow .	10	80	5 00
Sedum—Assorted, F. C Overgrow .	10	80	0 00
Stokesia—Cyanea, F. COwe	10	80	6 00
— White, F. C	08	60	5 00
Spirea—Filipendula, F. C. Owing — Japonica, F. C. Owl	10	80	
Tritoma—Uvaria, F. C	$\begin{array}{c} 10 \\ 08 \end{array}$	60	5 00
— Pfitzeri, Pot Owns	10	1 00	5 00
Veronica—Spicata, F. C. Owned.	10	1 00	
— Subsessilis, F. COwner	10	80	6 00
Vinca—Minor, F. C	08	60	4 00
Violet Russian—Hardy, Pot	10	80	4 00
Violet Russian—Hardy, 1 ot	10	00	
WARRY CRACCES			
HARDY GRASSES			
Tel. Code.	Each.	Per 10	Per 100
Arundo—Donax, strong divisions	\$ 15		
Eulalia—Japonica, clumps	08	\$ 60	134 2/1
— Gracillima. "	08	60	\$5 00
— Variegated, "	08	60	
	00	60	5 00
— Zebra, "	08	60	0 00

Erianthus—Ravenne Festuca—Glauca Phalarius—Var. Ribbon Grass	.Papa	Each \$ 10 10 10	Per 10 Per 100 \$ 80 80
MISCELLANE	ous.		
Cannas Dahlias—Dbl.and single named varieties, undivided Geranium	Parade	10 10 08	80 \$5 00 60

FRUIT DEPARTMENT

		Each	Doning	Per 100
ADDIES AND CDARS Exten 11/im	vv		rer 10	Let 100
APPLES AND CRABS—Extra, 1 1/8 in				
	X	35	0 -0	
First grade, 34 in., 5	-/ ItA			
Med. grade, 5/8-3/4 i	n., 4–6 ItB	20	1 80	
Dwarf, 3–4 ft		50		
	<u> M</u>	35		
PEARS Std. —1½ in., 6–8 ft		50		
Extra, 7/8 and 1 in., 6-7 ft			3 00	
First Grade, 3/4-7/8 in., 5-7 ft		25	2 25	\$20 00
Med. grade, 5/8-3/4 in., 4-5 ft.		20	1 75	15 00
Kieffer, 1 1/4 in., 6-8 ft	XX	50		
$1 \text{ in., } 6-7 \text{ ft.} \dots$	X	30	2 50	
3/4 in., 5-7 ft	A	20	1 80	17 50
5% in., 4–5 ft		15	1 25	12 00
PEARS Dwf.— 1/8 and 1 in., 3-4 ft	X	25		
First grade, 3/4-7/8 in., 3-4 ft.	A	$\overline{20}$		
Med. grade, ½-5% in., 2-3 ft.	B	$\tilde{1}\tilde{5}$		
CHERRIES —Extra, 1 1/8 in., 6-8 ft		50		
Extra, 1 in., 6–8 ft		35	3 00	25 00
First grade, 34-78 in., 5-7 ft.	Δ	25	2 00	17 50
Med. grade, 5%-34 in., 4-5 ft.	D	20		17 30
PLUMS—1 ¼ in., 6–8 ft			1 50	
		50	2 00	
Extra, 78 and 1 in., 6-8 ft		35	3 00	20.00
First grade, 34-78 in., 5-7 ft	, , , , , , , , , , , , , , A	25	2 25	20 00
Medium, 5% in., 4–5 ft		20	1 50	
PEACHES —34-1 in., 5-7 ft		20		
Extra, 5/8-3/4 in., 5-6 ft		15	1 25	
First grade, $\frac{9}{16}$ - 5% in., 4-6 ft	<u>A</u>	12	1 00	9 00
Medium, ½ in., 4–5 ft	<u>M</u>	0.9	80	7 50
Second grade, $\frac{7}{16}$ in., $3-4$ ft		07	60	6 00
Third class, 2-3 ft		06	50	
QUINCES—Extra, 5/8 in	\dots	30	2 50	
First grade, $\frac{9}{16}$ in., 3–4 ft		. 25	2 25	20 00
Medium grade, ½ in., 2½-3 ft	M	20	1 25	
Second grade, 2-2½ ft	B	15	1 25	8 00
APRICOTS—Extra, 3/4 in., 4-6 ft	X	20	1 75	
First grade, % in., 3-5 ft	A	18	1 50	
Second grade, ½ in., 2-3 ft	B	15	1 20	
NECTARINES—First Grade, 5-7 ft		25		
MULBERRIES—Russian, and White, 4-6 ft .		30		
New American, 3–4 ft		30		
NUTS—Chestnut, American, 4-6 ft		35	3 00	
" Japan, 3-4 ft		50		
Filberts, 2-3 ft			1 50	
Walnut, English, 2-3 ft		30	1 00	
" Japan, 3–5 ft				
PERSIMMONS—American, 3-4 ft		25		
4–6 ft		30		
		20		

GRAPES—Long top vines for retailing. Concord, 2 and 3 yrs		Per 10 \$ 80	Per 100 \$ 6 00 7 00
Campbell's Ea., Woodruff, 2 and 3 yr. Early Ohio, 2 and 3 yrs Green Mountains, 2 and 3 yrs Mc Pike, 2 and 3 yrs CURRANTS—Cherry,	16 13 20 25	1 50 1 20 2 00 2 50	
Fay's Prolific, Medium, 2 and 3 yrs	06	55	5 00
Lee's Black, Strong, 2 and 3 yrs	07	65	6 00
GOOSEBERRIES—Downing, Houghton, 2 yrs	10	90	7 50
3 vrs	12	10	
Industry, Smith's Imp., 3 yrs	15	1 20	10 00
RASPBERRY—Cuthbert, Gregg, Extra Selected		25 15	$\begin{array}{cccccccccccccccccccccccccccccccccccc$
Golden Queen, Miller, etc., Extra Selected		25	2 00
" ordinary		20	1 50
BLACKBERRIES—Ea. Harvest, Wilson's (ordinary	to take	20	1 50
Erie, Lawton, Kittatiny { extra selected .		25	2 00
Rathbun, Ward			
WINEBERRY		75	50
STRAWBERRIES — Pot Plants	1	35	2 50
ASPARAGUS—Con. Collosal, 2 yrs., \$5 00 per 1000		00	60
RHUBARB		60	5 00
에서 보는 보면 보면 사람들은 보이 되었다면 보다 있다. 그런 그런 그런 프로젝트를 하는 것도 되는 것이 되었다. 그런 보다 보는 것이 없는 것이 없습니 없는 것이 없는 것이 없는 것이 없습니 없는 것이 없는 것이 없는 것이 없습니 없는 것이 없습니 없습니 없는 것이 없습니 없습니 없다.			

